

CORRECTION
COMPARING PREDICTIONS OF MEAN PERFORMANCE AND ENVIRONMENTAL SENSITIVITY OF RECOMBINANT INBRED LINES BASED UPON F₃ AND TRIPLE TEST CROSS FAMILIES

J. L. JINKS and H. S. POONI
Department of Genetics, University of Birmingham B15 2TT

Table 2 from the above paper was incorrectly printed in Heredity 45 (3) p. 308, 1980. The following is the correct version.

TABLE 2

Estimates of the statistics from the 1969 experiment required for making predictions about the mean performances and environmental sensitivities in respect of Flowering time and Final height of the pure breeding families derivable from the cross between varieties 2 and 12

Statistic and source	Flowering time	Final height
	<i>Mean performance</i>	
\bar{V}_{12}	25.32	146.46
\bar{V}_2	46.98	107.42
\bar{F}_1	26.59	167.13
TTC		
m	33.93	135.56
\sqrt{D}	8.49	25.87
F ₃		
m	34.07	137.16
\sqrt{D}	10.69	25.27
	<i>Environmental sensitivity</i>	
\bar{V}_{12}	6.06	13.77
\bar{V}_2	4.28	12.06
\bar{F}_1	5.97	23.13
TTC		
m	3.39	18.85
\sqrt{D}	3.49	6.58
F ₃		
m	3.67	18.94
\sqrt{D}	3.65	8.00