

# The role of ongoing dendritic oscillations in single-neuron dynamics

Michiel W. H. Remme<sup>1\*</sup>, Máté Lengyel<sup>2</sup>, Boris S. Gutkin<sup>1</sup>

<sup>1</sup> Group for Neural Theory, Département d'Études Cognitives, École Normale Supérieure, 3 rue d'Ulm, 75005 Paris, France

<sup>2</sup> Computational and Biological Learning Lab, Department of Engineering, University of Cambridge, Trumpington Street, Cambridge CB2 1PZ, United Kingdom

\* Corresponding author. E-mail: michiel.remme@ens.fr

## Abstract

The dendritic tree contributes significantly to the elementary computations a neuron performs while converting its synaptic inputs into action potential output. Traditionally, these computations have been characterized as temporally local, near-instantaneous mappings from the current input of the cell to its current output, brought about by somatic summation of dendritic contributions that are generated in spatially localized functional compartments. However, recent evidence about the presence of oscillations in dendrites suggests a qualitatively different mode of operation: the instantaneous phase of such oscillations can depend on a long history of inputs, and under appropriate conditions, even dendritic oscillators that are remote may interact through synchronization. Here, we develop a mathematical framework to analyze the interactions of local dendritic oscillations, and the way these interactions influence single cell computations. Combining weakly coupled oscillator methods with cable theoretic arguments, we derive phase-locking states for multiple oscillating dendritic compartments. We characterize how the phase-locking properties depend on key parameters of the oscillating dendrite: the electrotonic properties of the (active) dendritic segment, and the intrinsic properties of the dendritic oscillators. As a direct consequence, we show how input to the dendrites can modulate phase-locking behavior and hence global dendritic coherence. In turn, dendritic coherence is able to gate the integration and propagation of synaptic signals to the soma, ultimately leading to an effective control of somatic spike generation. Our results suggest that dendritic oscillations enable the dendritic tree to operate on more global temporal and spatial scales than previously thought.

## Author Summary

A central issue in biology is how do local sub-cellular processes result in global cellular consequences. For neurons this is especially relevant since these spatially extended cells convert local synaptic inputs into action potential output. The dendritic tree of a neuron, which is where most inputs arrive, expresses membrane conductances that can generate intrinsic nonlinearities. The distributions of these membrane conductances are typically highly non-uniform. The non-uniform distribution of membrane conductances can turn the dendritic tree into a network of sparsely spaced active “hot spots”. A prominent phenomenon resulting from the dendritic nonlinearities are intrinsic membrane potential oscillations, which are typically recorded at the neuron’s soma. Here we analyze whether the active local oscillatory “hot spots” can produce global membrane voltage oscillations. Our mathematical theory shows that indeed, even when local dendritic oscillators are coupled extremely weakly, they still lead to global oscillations. This global effect arises since the oscillators lock to each other. We then show how the biophysical parameters of the dendrites affect this global locking. It becomes clear that when the oscillators are synchronous they lead to sustained firing of the cell. Such synchrony can be controlled by the synaptic inputs. The global locking of oscillators implies that even individual synapses can affect the timing of the action potentials. Our theory predicts that dendritic trees can also be bistable with synchrony and asynchrony coexisting. This provides a novel mechanism for single cell based memory.

# 1 Introduction

The dendritic tree contributes significantly to the elementary computations a neuron can perform, both by its intricate morphology and its composition of voltage-gated ionic conductances [1]. Such active conductances can underlie a wide variety of dynamical behaviors, amongst others dendritic spikes and ongoing oscillations of the dendritic membrane potential [2]. Such active dendritic phenomena have been suggested as mechanisms endowing single neurons with significant computational power [3] and flexibility in the way the dendritic tree processes its inputs: whether as a global element, effectively collapsing the tree into a single functional compartment or with various parts of the tree acting as independent processing elements [4, 5]. While the possibility of powerful and flexible dendritic processing is indeed of great interest, the precise conditions under which dendrites can act independently or globally remain largely to be determined. In this report we address this key question, focusing specifically on the case where active properties lead to sustained intrinsic membrane potential oscillations in the dendrites. We develop a theoretical formalism, allowing for a succinct yet powerful description of the dendritic tree dynamics and yielding conditions under which the tree acts as a global oscillatory unit and how such action in turn controls spiking responses of the neuron.

Membrane potential oscillations have been demonstrated in various types of neurons. Intrinsic subthreshold oscillations have been found in stellate cells from entorhinal cortex layer 2 [6, 7], neurons from the frontal cortex [8], neurons from the amygdala complex [9, 10], and pyramidal cells and interneurons from the hippocampal CA1 area [11, 12]. Several ionic conductances can underlie these oscillations. In entorhinal cortex stellate cells, experiments have shown that the oscillations result from an interaction of the persistent sodium current  $I_{\text{NaP}}$  and the hyperpolarization activated inward current  $I_h$  [6, 13, 14]. Recordings from hippocampal CA1 pyramidal neurons have also demonstrated ongoing oscillations in the dendrites that include repetitive dendritic spikes, presumably involving  $\text{Ca}^{2+}$  currents [15].

Together, these experimental results suggest that dendritic trees can function as oscillators. Yet, the dendritic tree is not a uniform structure. First, morphological properties that are important for the electrical behavior of the dendrite, such as the diameter of the branches, vary throughout the tree (see, for example, [16]). Second, and most importantly for the present report, the distribution of many types of voltage-dependent conductances is typically non-uniform (for review, see [17]). For example, in the apical dendrites of hippocampal CA1 pyramidal neurons, the density of  $I_h$  increases strongly with distance from the soma [18], and reaches very high values in the thin distal branches [19]. Furthermore, several studies have suggested the existence of so-called “hot spots”, clusters of ionic conductances that are responsible for the generation of dendritic spikes [20]. Third, intrinsic plasticity can also lead to changes in dendritic excitability that are highly localized spatially [21], potentially further partitioning the dendritic tree into several discrete units.

Thus, the data on dendritic “hot spots” taken together with the preponderance of dendritic oscillations suggest that multiple oscillators may be embedded in the dendritic tree of a single cell. Indeed, multiple intrinsic dendritic oscillators have been proposed to underlie the recently discovered intricate firing pattern of entorhinal grid cells [22, 23, 24]. Motivated by the likely existence of multiple dendritic oscillators in a single cell, we study the dynamics of such interacting oscillators and their impact on signal propagation in single neurons, using mathematical analysis corroborated by numerical simulations of biophysical models. We treat the dendritic tree of a neuron as a network of oscillators coupled by stretches of relatively less

active cable. This prompts us to combine two analytical methods: weakly coupled oscillator theory and cable theory. The theory of weakly coupled oscillators has been extensively used previously to study synchronization of multiple oscillators residing in *separate* cells interacting through synapses or gap junctions [25]. Since we focus on intradendritic oscillators which are continuously coupled via the membrane voltage, we use cable theory [26] to compute their interactions.

We find that intradendritic oscillations can exhibit complex patterns of phase-locking. We characterize how this phase-locking depends on the intrinsic properties of the oscillators and on the membrane properties of the segment connecting them. Finally, we demonstrate how input to the dendritic oscillators can control the phase-locking and how in turn the phase-locked configuration can control somatic spike generation. These results provide a rigorous mathematical framework for the study of interacting dendritic oscillations that can be applied in the future to specific systems of interest, and also point to ways in which such oscillations can be utilized for non-trivial single cell computations.

## 2 Results

Our goal is to develop a theory for the behavior of a dendritic tree that contains multiple intrinsic oscillators and then use this framework to gain understanding of how such a tree would behave dynamically and hence control the neuron's output depending on the input. In order to develop the mathematical framework we begin by considering a minimal setup of two cable-coupled oscillators. As we will see even this setup is too complicated for direct analytical treatment hence we will go through a number of reduction steps which we sketch out below.

We study the behavior of a system of two oscillators with period  $T$  being connected via an active (though not intrinsically oscillating) dendritic cable with length constant  $\lambda$  and membrane time constant  $\tau$ . The two oscillators A and B are located at the ends of the cable at  $x = 0$  and  $x = l$ , separated by an electrotonic distance  $L = l/\lambda$  (figure 1A<sub>1</sub>). In general form the system we will consider for describing the membrane potential  $V(x, t)$  along the dendritic cable is given by the following equations:

$$\tau \frac{\partial}{\partial t} V(x, t) = \lambda^2 \frac{\partial^2}{\partial x^2} V(x, t) - (V(x, t) - E_L) - F(V(x, t), m(x, t)), \quad (1)$$

$$\begin{aligned} V(0, t) &= V_A(t), \\ V(l, t) &= V_B(t), \end{aligned} \quad (2)$$

$$\begin{aligned} C_m \frac{d}{dt} V_A(t) &= -g_L (V_A(t) - E_L) - I_A(V_A(t), \vec{m}_A(t)) - \varepsilon p_A(t), \\ C_m \frac{d}{dt} V_B(t) &= -g_L (V_B(t) - E_L) - I_B(V_B(t), \vec{m}_B(t)) - \varepsilon p_B(t), \end{aligned} \quad (3)$$

where  $E_L$  is the reversal potential of the passive membrane current, the function  $F(V, m)$  summarizes the voltage-dependent terms in the cable,  $C_m$  is the membrane capacitance,  $g_L$  is the leak conductance,  $I_{A,B}(V_{A,B}, \vec{m}_{A,B})$  describes the voltage-dependent currents generating the oscillations. The gating variable  $m(x, t)$  and the variables in the vector  $\vec{m}_{A,B}$  are described by standard kinetic equations (e.g. see [27] and equations (28) in Methods). The terms  $\varepsilon p_{A,B}$  describe the perturbing currents that each oscillator receives from the cable and are proportional to  $\frac{\partial}{\partial x} V(0, t)$  and  $\frac{\partial}{\partial x} V(l, t)$ . A more detailed description for the above is given in the Methods.

The two oscillators described by equation (3) form the periodic boundary conditions (2) for the cable equation (1). In turn, the cable yields the current flux through its ends into (and thereby perturbing) the two oscillators: the terms  $\varepsilon p_{A,B}$  in equation (3). It is clear that it is next to impossible to solve equations (1)–(3) directly. However, we will use a number of reductions to arrive at a phase description of the system that is simple enough to handle analytically. This allows us to derive interaction functions for the two oscillators, describing how much they perturb each other through the dendrite depending on their phases. We then use these interaction functions to determine the stable phase relationship between the oscillators for different parameters, i.e. the properties of the cable and the type of oscillators. The analysis follows along the lines of previous work [28, 29, 30] and extends those results to the analysis of intradendritically coupled oscillators.

We begin by observing that the oscillators from equation (3) can be reduced to a phase description (see Methods for further detail) [25]. The phases  $\theta_A$  and  $\theta_B$  (in radians) describe the state of each oscillator. The dynamics of the phases are then described by

$$\begin{aligned}\dot{\theta}_A &= \frac{2\pi}{T} + \varepsilon Z_A(t) p_A(t), \\ \dot{\theta}_B &= \frac{2\pi}{T} + \varepsilon Z_B(t) p_B(t).\end{aligned}\tag{4}$$

Here the first term in the right hand side of each equation is the natural frequency of each oscillator and the second term describes the interaction between the oscillators. The crux of the analysis is thus to derive this function which we do explicitly in Methods.

The interaction between the two oscillators depends on two factors: the intrinsic properties of the oscillators, as reflected by their phase response curves  $Z_{A,B}$ , and the perturbations  $p_{A,B}$  to each oscillator via the cable. A phase response curve of an oscillator describes the phase shift induced by a perturbation delivered at a given phase. It can be determined using standard methods [25]. The perturbations to the oscillators come from solving equation (1) with the oscillators described by equation (3) as the boundary conditions described by equation (2). For the active cable this task can be greatly simplified if we consider a quasi-active approximation of the cable, and if we realize that the cable should behave periodically. The former can be done by linearizing the cable equation (1) about the voltage to which the cable would relax if it was not driven by the oscillators [31, 32]. Under such approximations the active properties of the dendritic cable can be summarized by a single parameter,  $\mu$ , which can be derived from its basic biophysical properties (see Methods). The sign of  $\mu$  indicates whether the active conductance that is present in the cable is regenerative ( $\mu < 0$ ), restorative ( $\mu > 0$ ), or passive ( $\mu = 0$ ) (see also [30]). A regenerative current will amplify perturbations (e.g. a persistent sodium current  $I_{NaP}$ ), while a restorative current actively counteracts such perturbations (e.g. the hyperpolarization activated inward current  $I_h$ ).

Since the solution to the cable equation with periodic boundary conditions is also periodic. It depends only on the difference of the phases of the two oscillators  $\phi = \theta_B(t) - \theta_A(t)$ . The dynamics of  $\phi$  is the central object of our interest. Assuming that the oscillator interactions via the cable are relatively weak, we can obtain the interaction functions  $H_A(\phi)$  and  $H_B(\phi)$  (see [25] and Methods). These describe the change in the oscillators' phases as a function of the phase difference. Now the phase difference between the oscillators evolves, on a slower time-scale, as

$$\dot{\phi} = \varepsilon (H_B(\phi) - H_A(\phi)).\tag{5}$$

It is easy to see that phase-locked states for our dendrite can be identified as values of  $\phi$  where  $\dot{\phi} = 0$ . The derivative of  $\dot{\phi}$  with respect to  $\phi$  gives the stability of such states (negative implies

stable, positive unstable). Hence for the rest of the analysis we study how stable phase-locked configurations are determined by the key biophysical parameters of the system described by equations (1)–(3): the electrotonic length and membrane time constant of the cable, the nature of the active cable-currents, the frequency of the oscillators, as well as the properties of the oscillators as given by the phase response curves and the voltage trajectory shape.

## 2.1 Phase-locking with simplified dendritic oscillators

The basic behavior of the system can be most easily understood by examining a simplified situation where the oscillators have a phase response curve that is approximately sinusoid and the perturbations from the cable are also nearly sinusoidal (e.g. when the oscillators are subthreshold with simple sinusoidal voltage traces). Hence the first Fourier component dominates in both  $Z_A$  and  $p_A$ . The interaction function is then

$$H_A(\phi) \approx \rho \cos(\phi + \xi - \zeta) + v, \quad (6)$$

where  $\rho$  is a positive coefficient characterizing the strength of the coupling. The term  $\xi - \zeta$  gives the effective phase delay in the interaction between the two oscillators (figure 1A<sub>2</sub>). In this term  $\zeta$  depends on the properties of the oscillators and  $\xi \in [-\pi, \pi]$  summarizes the effect of cable filtering. It depends on the properties of the dendritic cable:  $L$ ,  $\tau$ , and  $\mu$  (see Methods). Using equation (5) it is easy to show that the evolution of the phase difference  $\phi$  between two identical oscillators is given by

$$\dot{\phi} = 2\varepsilon\rho \sin(\xi - \zeta) \sin \phi. \quad (7)$$

The fixed points are the in-phase solution  $\phi = 0$  and the anti-phase solution  $\phi = \pi$  (figure 1A<sub>3</sub>). The stable phase-locked solutions are those fixed points where the derivative of equation (7) with respect to  $\phi$  is negative:

$$\frac{d}{d\phi} \dot{\phi} = 2\varepsilon\rho \sin(\xi - \zeta) \cos \phi < 0. \quad (8)$$

The synchronous solution  $\phi = 0$  is thus stable when  $\sin(\xi - \zeta) < 0$ . When this solution is stable the anti-phase solution  $\phi = \pi$  is unstable and vice versa.

Notice that if we fix the properties of the oscillators, the constant  $\zeta$  is fixed. Then the value of  $\xi$  uniquely determines which is the stable state (figure 1A<sub>4</sub>). Hence, to understand how the dendrite behaves as a function of the key properties of the cable we need only to look at how these affect  $\xi$ . In the next sections we describe the behavior of  $\xi$  with the consequent effect on phase-locking. The explicit expressions for the scaling of  $\xi$  with the various parameters considered below are given in the Methods.

### 2.1.1 Passive cable properties and oscillator period set the phase-locked states

First let us consider a setup where the cable is passive (i.e.  $\mu = 0$ ). We show how  $\xi$  depends on the various cable parameters as well as the oscillator period and by extension how these properties affect the phase-locking.

The electrotonic distance  $L$  between the oscillators is one of the major determinants of  $\xi$ . For a fixed membrane time constant and oscillator period, the electrotonic distance controls



the amplitude of  $\xi$ . For example, let us set the membrane time constant  $\tau = 20$  ms and the oscillator period  $T = 20$  ms. As we let  $L$  increase from 0 to 8,  $\xi$  moves through almost two whole cycles (figure 1B). Thus, the in-phase and the anti-phase states exchange stability as a function of  $L$ . There are ranges of  $L$  where  $\xi - \zeta$  is negative so the right hand side of (8) is below zero and the in-phase solution is stable (white area in figure 1B), and ranges where  $\xi - \zeta$  is positive and the anti-phase solution is stable (grey areas in figure 1B). Hence for different electrotonic lengths we observe either coherent synchronous or anti-phase voltage oscillations. Our analysis also shows that the transitions between the stability of in-phase and anti-phase solutions are periodic for large enough  $L$  (see equation (26) in Methods). The period of these transitions depends on the cable time constant  $\tau$ : e.g. for increasing  $\tau$  the transitions between the phase-locked modes come at shorter cable lengths.

Thus we see that the spacing of the oscillators can determine if they would produce global synchronous oscillations or not. Interestingly, the relationship between the spacing and synchrony is not trivial since synchrony can result both at short and long electrotonic distance. The electrotonic distance can be influenced by the conductance state of the cable, hinting that the level of synaptic input impinging on the cable may determine the phase-locked states in a non-trivial manner. To examine this issue explicitly we look at the relationship between  $\xi$  and the membrane resistance  $R_m$  of the cable.

Both the membrane time constant  $\tau$  and the electrotonic length  $L$  of the cable depend on  $R_m$ . In a low conductance state, as  $R_m$  grows large,  $\xi$  approaches a constant. So the influence of  $R_m$  on  $\xi$  and hence the phase-locked state saturates. For example in figure 1C, only the anti-phase solution is stable for large  $R_m$ . On the other hand, in a high conductance state of the dendrite  $R_m$  becomes small, driving  $\xi$  towards zero. In this range  $R_m$  has a strong effect on  $\xi$  and can therefore change the stable phase-locked solution. For example, see in figure 1C when  $R_m$  is below  $10 \text{ k}\Omega \text{ cm}^2$  (corresponding to a membrane time constant of 10 ms).

So far we have shown how basic properties of the cable connecting the oscillators determine the phase-locking regimes. However, the period  $T$  of the oscillators also plays an important role in setting the phase-locking by affecting the amplitude and sign of  $\xi$ . In figure 1D we plot  $\xi$  as a function of the oscillation frequency (in Hz) with an electrotonic distance between the oscillators of  $L = 2$  with  $\tau = 20$  ms. We can see that by changing the frequency of the oscillators one can change the stable phase-locked solution from in-phase to anti-phase or vice versa as the value of  $\xi - \zeta$  changes sign (i.e. as  $\xi$  moves from the white to the grey areas or vice versa in figure 1D).

Hence the stability of the phase-locked solutions can be determined by basic properties of the cable, such as the electrotonic distance and/or the membrane resistance, as well as the properties of the oscillators, such as their frequency. Next we see how active properties of the cable can set the phase-locking regimes.

### 2.1.2 Active cable properties influence phase-locking regimes

Voltage-dependent ionic conductances in the dendritic cable that connects the oscillators strongly modulate  $\xi$ . Let us consider phase-locking as a function of  $L$  for the various active cable currents, such as  $I_{\text{NaP}}$  (regenerative) and  $I_h$  (restorative).

Regenerative currents ( $\mu < 0$ ) make  $\xi$  more sensitive to  $L$ , causing transitions of stability to occur on shorter intervals  $L$  as compared to an equivalent passive case. This is illustrated in figure 2A: with a regenerative current (green curve)  $\xi$  goes through more than two complete cycles as  $L$  increases from 0 to 10. For the passive cable case (black curve) there is a shift of

only about a third of a cycle for the same range of  $L$ . In contrast, restorative currents ( $\mu > 0$ ) typically have the opposite effect, making the intervals  $L$  between the transitions longer. For example, in figure 2A one can see that the restorative current (red curve) leads to a small increase in  $\xi$  with increasing  $L$  and effectively removes the effect of the electrotonic distance on  $\xi$ .

The way active currents modulate the relationship between  $\xi$  and  $L$  also depends on the frequency of the oscillators. In panel 2B we plot the frequency-dependence of the  $\xi$  for the regenerative, restorative and passive cable currents when  $L = 1.75$ . The restorative current yields a positive value of  $\xi$  up to a frequency of  $\sim 10$  Hz. The regenerative current increases  $\xi$  compared to the passive cable most strongly for low frequencies. For both restorative and regenerative currents the effects on  $\xi$  disappear for very high frequencies.

## 2.2 Phase-locking dynamics of multiple complex oscillators

In the previous section we limited our description and analysis to oscillators with a nearly sinusoidal phase response curve that receive perturbations which are also sinusoidal. In this way we could demonstrate how the parameters that define the oscillator and cable properties affect the phase-locking behavior of the system. However, as consequence, we only obtained and analyzed symmetric interaction functions  $H_A(\phi)$ . For such coupling functions, only the in-phase and anti-phase solutions are possible of which one is stable and one unstable. When  $Z_A$  and  $p_A$  cannot be well approximated by a single Fourier component we need to take into account higher order terms. Including more Fourier components is likely to lead to asymmetry or skew of  $H_A(\phi)$  and, as we will show next, this affects the possible phase-locking behaviors.

### 2.2.1 Skew of the interaction function determines the possible phase-locked states

We will now consider how the skew of the interaction function  $H_A(\phi)$  affects the phase-locking behavior. To illustrate this point let us look at a sawtooth-shaped  $H_A(\phi)$  with period  $T = 2\pi$  that increases from  $-1$  to  $1$  over the interval  $0$  to  $k \cdot 2\pi$  and decreases back to  $-1$  on the remaining interval. The parameter  $k \in [0, 1]$  thus specifies the location of the peak such that for  $k = 0.5$  we have a standard triangle wave. We assume identical oscillators such that  $H_B(\phi) = H_A(-\phi)$ . For illustrative purposes we first consider a somewhat artificial yet illustrative example, in which the cable filtering does not affect the shape of the interaction function but only shifts the interaction function along the  $\phi$ -axis. We define a single parameter  $\xi^*$  that determines the position of the interaction function  $H_A(\phi + \xi^*)$ , analogous to  $\xi$  in the above analysis. This parameter  $\xi^*$  depends on the various parameters in a way similar to  $\xi$ , for example with the electrotonic separation of the oscillators.

The skew of  $H_A$  leads to a richer repertoire of phase-locking which we demonstrate in figure 3. We first consider a right-skewed  $H_A$  with  $k = 0.1$ . The top panels in figure 3A show  $H_A$  and  $H_B$  for three different values of  $\xi^*$ . Below these panels we plot the difference  $H_B - H_A$  from which we can read the phase-locked solutions since these are given by  $H_B - H_A = 0$  (see equation (5)). We see that the interaction functions  $H_A$  and  $H_B$  move in opposite directions along the  $\phi$ -axis as  $\xi^*$  varies from  $0$  to  $2\pi/5$  to  $4\pi/5$ . The bifurcation diagram in figure 3A (lower panel) shows the stable and unstable phase-locked solutions as a function of  $\xi^*$ . Hence we see that not only in-phase and anti-phase solutions are possible, but also phase-locked solutions at intermediate values of  $\phi$ . Thus, a right-skewed  $H_A$  (i.e. when  $k < 0.5$ ) leads to gradual transitions between in-phase and anti-phase solutions. As we noted above, when  $H_A$  is



symmetrical ( $k = 0.5$ ) we find only instantaneous transitions between in-phase and anti-phase solutions (figure 3B). Finally, for a left-skewed  $H_A$  ( $k > 0.5$ ) one finds parameter ranges with simultaneous stability of both the in-phase and the anti-phase solution (figure 3C).

### 2.2.2 Factors determining the shape of the interaction function

The actual shape of  $H_A(\phi)$ , and consequently the bifurcation diagram governing the dendritic phase-locking, depends on the properties of the oscillators and the cable. If we know the voltage trace and phase response function of an oscillator, we can easily compute the interaction function for direct coupling using equation (27) in the Methods. The skew of the interaction function then predicts the type of phase-locking behaviors that can be expected. For spiking oscillators one will typically find a left-skewed voltage trace as the membrane potential gradually approaches the threshold and the spike is followed by a quick reset. For such an oscillator, a symmetric phase response function will yield a left-skewed interaction function and one expects to find bistable phase-locking regimes. For subthreshold oscillators, the voltage trajectory is more likely to be symmetric. The skew of the phase response function will then determine the skew of  $H_A$ .

However, when we introduce an electrotonic separation  $L$  between the oscillators, the shape of the interaction function  $H_A$  will change as a result of the cable filtering. As  $L$  increases, the increasing cable filtering leads to dominance of a single Fourier component. Thus, for large  $L$  the shape of the interaction function will always approach that of a sinusoid. As a consequence one expects to see abrupt transitions between the phase-locked solutions as  $L$  becomes large. See also the “Skew of interaction function” section in the Methods.

### 2.2.3 Behavior of specific oscillator models

As we mentioned above, the shape of the interaction function depends critically on the biophysics of the oscillators considered. Hence, we now turn to illustrating our analysis for two different oscillator types: one that generates action potentials and the other a model for subthreshold oscillations.

As a first example we analyze the phase-locking for the type II Morris-Lecar neural oscillator [33]. We also validate our analysis with direct numerical simulations. We first focus on the relationship between  $L$  and the shape of  $H_A$  for this oscillator type. The voltage trace and the phase response function of this oscillator are plotted in figure 4A for one oscillation cycle, starting at the peak of the voltage trace. The interaction function  $H_A$  is shown in figure 4B for three values of  $L$ . For  $L = 0$  we have two directly coupled Morris-Lecar oscillators, resulting in a left-skewed  $H_A$  (solid curve). For  $L = 2$  (dashed curve) the interaction function has become smoother, though it is still left-skewed. For  $L = 4$  (dash-dotted curve), most high frequency components are filtered out as a result of the cable filtering, and we have an almost symmetric  $H_A$ . From this we expect that transitions between in-phase and anti-phase solutions occurring for small  $L$ , will show a bistable region, while for larger  $L$  the transition will be practically instantaneous. This is indeed what we see in the bifurcation diagram in figure 4C, which shows the stable (black) and unstable (red) phase-locked solutions as a function of the electrotonic distance  $L$ . As expected for a left-skewed  $H_A$ , the dendrite shows a bistable region where both the in-phase and the anti-phase solution are stable. For smaller  $L$ , the in-phase solution is stable. As the electrotonic separation between the oscillators approaches  $L = 4$ , there is a transition from a stable anti-phase to a stable in-phase solution. This transi-

tion is very sharp, as was expected for the almost symmetric shape of  $H_A$  at this electrotonic distance.

Using numerical simulations of the cable-coupled oscillators we can demonstrate the dynamics of the phase difference between the two Morris-Lecar oscillators. Figure 4D illustrates these dynamics when the oscillators are separated by an electrotonic distance of  $L = 1.1$  (top panel) or  $L = 2.1$  (bottom panel). The oscillators start out with a phase difference of  $\phi = 2\pi/3$ . As expected from the bifurcation diagram in figure 4C, the two oscillators move to the in-phase configuration  $\phi = 0$  when  $L = 1.1$ , whereas when  $L = 2.1$  the two oscillators settle in the anti-phase solution  $\phi = \pi$ .

Finally, we determine the phase-locking under both passive and active cable coupling for a model of subthreshold oscillations in entorhinal stellate cells [6, 13]. These oscillations are thought to arise from an interaction between a persistent sodium current  $I_{NaP}$  and a hyperpolarization-activated inward current  $I_h$  (see Methods). Both the voltage trajectory and the phase response function are close to a sinusoid (figure 5A). We compute the bifurcation diagrams (figure 5B) for two oscillators coupled via a passive cable (top), a cable with a regenerative current (middle), and a cable with a restorative current (bottom). As was expected from our above analysis for simplified oscillators, the regenerative current increases the number of transitions between in-phase and anti-phase solutions compared to passive cable coupling. In contrast, adding the restorative current to the cable, reduces the number of transitions, making the synchronous phase-locked solution stable up to  $L \sim 6$ .

#### 2.2.4 Multiple oscillators: chains and branched structures

So far we have focused on a minimal configuration of two oscillators connected by a cable. However, our analysis can be easily extended to predict phase-locking of a chain of oscillators. This follows since the phase-locking behavior only depends on each neighboring pair of oscillators. Figure 6A shows numerical simulations of a chain of three oscillators, using the same Morris-Lecar model as in figure 4. The two pairs are separated by a passive dendritic cable of either  $L = 1.1$  (top panel) or  $L = 2.1$  (bottom panel). The phase-locked solutions follow from the bifurcation diagram in figure 4C: the three oscillators move into an in-phase solution for  $L = 1.1$ , whereas for  $L = 2.1$  each neighboring pair of oscillators moves into the anti-phase solution.

Our framework also allows us to understand phase-locking in a branched cable structure. Hence we examined the phase difference dynamics of a triangular configuration of three Morris-Lecar oscillators (figure 6B). In this situation, each oscillator is separated from the other two oscillators by a passive dendritic cable with electrotonic length  $L = 1.1$  (top panel) or  $L = 2.1$  (bottom panel). For  $L = 1.1$ , all three oscillators synchronize. When  $L = 2.1$ , we expect from the bifurcation diagram in figure 4C that the oscillators go into anti-phase. However, as we have three mutually coupled oscillators, two pairs of anti-phase locked oscillators would lead to an in-phase configuration of the final pair of oscillators. The bifurcation diagram shows that the in-phase configuration is unstable. We see from the simulation that the system settles into the solution closest to the anti-phase solution, which is a phase difference of  $2\pi/3$  between each pair of oscillators.

### 2.3 Dendritic phase-locked states: controlled by inputs and read out with spikes

Above we developed a framework for analyzing the behavior of local oscillators embedded in the dendritic tree. Now we turn to the question of how such oscillating dendrites respond to inputs and impact the output of the neuron. We will show that the external synaptic input can control the phase-locked configuration of the dendritic oscillators and that this phase-locked configuration can then be transmitted through patterning of the cell's action potentials. While a thorough analysis is beyond the scope of the present study, we give several salient illustrative examples using a model with a branched oscillating dendritic tree and a spike-generating soma. More specifically the model consists of a passive branching dendritic compartment with two Morris-Lecar type II oscillators at its two distal ends and an excitable soma that, for simplicity, we describe with an integrate and fire mechanism (figure 7A).

Above we showed that under certain conditions, depending on the skew of the interaction function  $H_A$ , the dendritic tree can be in a phase-locking regime where two stable phase-locked states co-exist. In such a bistable regime, well-timed inputs to one or more dendritic oscillators can switch the locking between in-phase and anti-phase. Clearly, the membrane potential fluctuations at the soma depend on whether the dendritic oscillators are synchronized or not. In our model, they are largest in amplitude when the dendritic oscillators are in-phase. The soma can show this difference with its spiking pattern when such large amplitude fluctuations are supra-threshold, while smaller fluctuations (e.g. with asynchronous oscillators) are not.

In figure 7 we illustrate the above mechanism. The initial parameters are such that both the in-phase and anti-phase state of the dendritic oscillators are stable (black dotted line in figure 7C). Oscillators starting from an initial phase difference  $\phi = \pi/4$  move into the synchronous phase-locked state (red curve in figure 7B). This consequently leads to repetitive somatic spiking (blue traces in middle and bottom panel). A depolarizing current pulse to one of the oscillators (see black trace in top panel of figure 7B) moves them into the anti-synchronous state and the somatic spiking ceases. A subsequent synchronous current pulse to both dendritic oscillators can switch them back into the synchronous state and hence restart the spiking. Note that all the stimuli here are excitatory, yet depending on their timing, they can have a net excitatory or inhibitory effects on the cell's spiking.

We have also hinted, in a previous section, at another mechanism by which inputs to the dendrites can affect the phase-locked state. The input amplitude can change the oscillator frequency which in turn has an effect on the stability of the phase-locked state (see figure 1D). In figure 7B at time  $t = 6$  sec we increase the amplitude of the current input impinging on the oscillators and see that the dendrites move out of the bistable regime. The synchronized state loses stability and the oscillators move into anti-phase locking. As a result, the soma stops spiking. Note that the electrotonic separation between the oscillators remains constant (black dotted line in figure 7D) but that the bifurcation diagram itself changes. In turn, a decrease in the excitatory input would reinstate spiking. Hence, this mechanism allows the cell to encode an inverse of the input amplitude, or the inverse of the excitatory input rate.

### 3 Discussion

The question of how local cellular processes may lead to global behavior has been of great interest for some time, in particular with respect to the signal propagation in extended structures such as the dendritic trees of cortical neurons. One of the aspects that remains a subject of active debate, is the dendritic mechanisms that ensure that local inputs on the dendrites – and in particular on the distal dendrites – have an impact on the global signal processing in the cell and ultimately on spike generation. We addressed this key question focusing specifically on the case of oscillatory dendrites. Thus, we studied the dynamics of dendrites that show intrinsic oscillations due to active voltage-dependent currents that present strong spatial inhomogeneities, hence leading to discrete oscillatory segments or “hot spots”. Our prime question was to understand how global dendritic behavior, in this case the phase-locked oscillations, can arise from interactions between such local “hot spots”. To do so we developed an analytical framework to describe and understand the behavior of interacting dendritic oscillators and their impact on signal propagation within a neuron. Our goal was to understand when the oscillators within the dendrite would lock and hence the whole dendritic tree would act as a single oscillatory unit.

Using the weakly coupled oscillator framework we have identified the requirements for the various phase-locking regimes of the dendritic oscillators. We characterized how the type of phase-locking depends on the intrinsic properties of the oscillators as well as on the membrane properties of the dendrite segment connecting them. We find that a central parameter in determining the phase-locked solutions is the electrotonic distance between the oscillators. This distance determines how strongly the dendritic cable filters the interactions between the oscillators, thereby determining the delay between the interactions. As a function of the electrotonic distance the phase-locking of identical oscillators alternates between in-phase or synchronized solutions and anti-phase solutions.

We also showed how the phase-locking is affected by the presence of voltage-dependent conductances in the cable that connects the oscillators. Using the quasi-active approximation of the cable [31, 32] we found that the dependence of the stable phase-locked solution on the electrotonic distance is typically amplified by regenerative conductances (i.e. ionic conductances that amplify a voltage perturbation), whereas it is counteracted by restorative conductances (i.e. ionic conductances that counteract voltage perturbations) (see also [30]). It should be noted that the linearization of the active conductances in the dendrites is appropriate for small amplitude oscillations in the dendrite and is therefore in general a better approximation for subthreshold oscillations than for spiking oscillators.

The mathematical approach that we used, builds on several studies which focused on the interaction between two neurons with repetitively spiking somata that interact via inputs at the dendrites [28, 29, 30]. A crucial difference with these studies is that rather than coupling via discrete synaptic events, we treat continuous coupling between the oscillators via the current-conducting cables. One consequence of the continuous coupling is that one needs both the phase response function and the voltage trajectory of the oscillators in order to compute the interaction functions and ultimately the phase-locked solutions. By computing the convolution of the voltage trajectory and the phase response function, which yields the interaction function for directly coupled oscillators, it is possible to get some insight into the types of phase-locked solutions that can be expected. The skew of the interaction function can show whether regimes can be expected in which both in-phase and anti-phase solutions are stable. Both the voltage trajectory of an oscillator and its phase response function can be determined numerically from

a model of an oscillator and, at least in principle, also experimentally (see, for example, [34]).

In the final section of our study we demonstrated how inputs to the dendritic tree can set the phase-locked state and how in turn the phase-locked configuration can control somatic spike generation. The first can for instance be accomplished by changing the frequency of the oscillators with the external input. The soma can subsequently detect the amplitude of the membrane potential fluctuations since this is affected by the phase-locked configuration. The time scale at which the dendritic oscillators move from one solution to another is set by the strength of the interactions between the oscillators. This time scale can be much longer than that of the different components of the system, e.g. the membrane time constant or the period of the oscillators. In this way, the phase difference between the oscillators can function as a memory. Related ideas have been previously discussed by Huhn et al [35]. We also showed that in the bistable phase-locked regime the state of the dendrites is easily set by transient inputs and “read-out” by the soma. This also can endow the neuron with a memory since brief external inputs can switch the neuron from a spiking to a quiescent mode and vice versa. Interestingly we showed that both the turn-on and turn-off signals (inputs) can be excitatory, their final effects defined by their timing.

The focus of our report is complementary to that of a recent theoretical study of the sub-threshold oscillations in the dendrites of mesencephalic dopaminergic neurons [36]. As these cells do not show any indication of distinct dendritic oscillators, the whole cell was modeled as one continuous oscillator with gradients in oscillator properties along the dendrites. Moreover, since there were no distinct oscillators, in their analysis Medvedev and colleagues assumed strong voltage coupling between neighboring compartments, enforcing synchronized oscillations throughout the cell. In contrast, our approach assumed weak coupling between the dendritic oscillators. This would not be appropriate for a spatially continuous oscillator. However, it is not possible to state in general at what electrotonic distance between two oscillators the weak coupling assumption becomes valid, as it depends on the strength of the interaction currents with respect to the intrinsic currents of the oscillators.

One of the aims of the present paper was to set up an analytical framework for studying interacting dendritic oscillators. This opens up a wide range of questions that were outside the scope of the present study. For example, we focused our analysis on identical oscillators, while it is likely that dendritic oscillators will vary in their properties throughout the dendritic tree. For example, the diameter of the dendrites, which typically becomes smaller with increasing distance from the soma, can affect the intrinsic frequency of the oscillators. A gradient in the frequency of distinct oscillators is likely to lead to more complex phenomena such as traveling waves (see, for example, [37]). Above we studied relatively simple cell geometries, however these form basic building blocks for more complex dendritic trees. Thus our framework should be valid for understanding global voltage oscillations in more realistic models of spatially extended cells. We would like to emphasize at this point that our general framework should also hold when – in addition to the distinct oscillators distributed throughout the dendritic tree – also the soma is regarded as an oscillator. These and other issues will be addressed in future publications.

A recent model for the grid field properties of the entorhinal cortex layer II stellate cells [22, 23, 38] relies precisely on the ingredients considered in the present study. The model assumes that different dendritic branches emanating from the soma of these cells function as distinct oscillators. The oscillations are modulated by external inputs and the interference of the oscillators eventually determines the somatic spiking. Crucially, the model assumes that

the dendritic oscillators operate independently. At a first glance, our results appear to argue against this: the various oscillators should phase-lock (hence lose their independence) even when the mutual coupling is weak. However, in principle, the locking may be slower than the behavioral time scale, allowing the oscillators to act quasi-independently on the behavioral time scale. Our analysis provides the appropriate framework to examine these issues: the scaling of locking in time and the biophysical implementation of grid-field formation via dendritic oscillators.

The framework we have developed, builds on the extensive mathematical theory of coupled oscillators and nestles nicely below the complexity of full compartmental models of neuronal dendritic trees. Yet our framework is sufficiently powerful and clear to both take into account certain key aspects of the dendritic tree structure and to be amenable to theoretical analysis of the dynamics of active dendrites and the computational function of such dendritic structures. These remain an active focus for further investigations.



## 4 Methods

### 4.1 Interaction functions for two weakly coupled dendritic oscillators

We analyze the behavior of a system of two oscillators that are coupled via a cable. For this we need to compute the interaction between the two oscillators. Our approach is as follows. The oscillators provide the periodic boundary conditions for the cable equation. Assuming weak coupling the phase difference between the oscillators does not change significantly within one period of the oscillation. Thus we can solve the cable equation with such periodic boundary conditions and leave the phase difference as a free parameter. In turn, the solution of the cable equation yields the currents flowing into and thereby perturbing the two oscillators at its ends.

We let  $V(x, t)$  denote the membrane potential (in millivolts) along the cable at position  $x$  (in centimeters) and at time  $t$  (in milliseconds). The passive properties of the cable are determined by a membrane time constant  $\tau$  (in milliseconds) and a length constant  $\lambda$  (in centimeters). The cable also expresses a voltage-dependent conductance with a gating variable  $m(x, t)$  with activation function  $m_\infty(V)$  and time constant  $\tau_m$  (in milliseconds). The equations governing the membrane potential  $V(x, t)$  and the gating variable  $m(x, t)$  along the cable (excluding the oscillators) are

$$\begin{aligned}\tau \frac{\partial}{\partial t} V(x, t) &= \lambda^2 \frac{\partial^2}{\partial x^2} V(x, t) - (V(x, t) - E_L) - \gamma_m m(x, t) (V(x, t) - E_m), \\ \tau_m \frac{\partial}{\partial t} m(x, t) &= m_\infty(V(x, t)) - m(x, t),\end{aligned}\tag{9}$$

where  $E_L$  is the leak reversal potential,  $E_m$  is the reversal potential of the active current, and  $\gamma_m$  is the ratio of the maximal conductance of the active current to the leak conductance. The two oscillators form the periodic boundary conditions and determine the voltage at the cable ends:

$$\begin{aligned}V(0, t) &= V_A(t), \\ V(l, t) &= V_B(t),\end{aligned}\tag{10}$$

with  $V_A(t)$  and  $V_B(t)$  being the voltage traces of the two oscillators A and B that evolve according to

$$\begin{aligned}C_m \frac{d}{dt} V_A(t) &= -g_L (V_A(t) - E_L) - I_A(V_A(t), \vec{m}_A(t)) - \varepsilon p_A(t), \\ C_m \frac{d}{dt} V_B(t) &= -g_L (V_B(t) - E_L) - I_B(V_B(t), \vec{m}_B(t)) - \varepsilon p_B(t),\end{aligned}\tag{11}$$

where  $C_m$  is the membrane capacitance (in  $\mu\text{F}/\text{cm}^2$ ),  $g_L$  is the leak conductance (in  $\text{mS}/\text{cm}^2$ ),  $I_{A,B}$  summarizes the voltage-dependent membrane currents generating the oscillations with the vector of gating variables  $\vec{m}_{A,B}$  given by standard kinetic equations (e.g. see [27] and equations (28)). The terms  $\varepsilon p_{A,B}(t)$  describe the perturbing currents from the cable to each oscillator with the small parameter  $\varepsilon$  denoting the coupling conductance. The functions  $p_{A,B}$  are given by

$$\begin{aligned}p_A(t) &= \frac{\partial}{\partial x} V(0, t), \\ p_B(t) &= -\frac{\partial}{\partial x} V(l, t).\end{aligned}\tag{12}$$

### Determining the perturbations from the cable to the oscillators

In order to determine the perturbations  $\varepsilon p_{A,B}$  in equation (11), we need to solve equation (9) with the boundary conditions from equation (10). To do so, we linearize equation (9) about the membrane potential  $V_R$  to which the cable would relax if it was not driven by the oscillators, yielding the quasi-active approximation for the cable [31, 32]. This approximation is appropriate as long as the voltage fluctuations around  $V_R$  are sufficiently small. We define  $U(x, t)$  as the difference between the oscillating solution and the resting membrane potential  $V_R$ , i.e.  $U(x, t) \equiv V(x, t) - V_R$  and we define  $w(x, t)$  analogously as  $w(x, t) \equiv m(x, t) - m_\infty(V_R)$ . The equations describing the quasi-active cable now read

$$\begin{aligned} \tau \frac{\partial}{\partial t} U(x, t) &= \lambda^2 \frac{\partial^2}{\partial x^2} U(x, t) - \gamma_R U(x, t) - \gamma_m (V_R - E_m) w(x, t), \\ \tau_m \frac{\partial}{\partial t} w(x, t) &= \frac{\partial}{\partial V} m_\infty(V_R) U(x, t) - w(x, t), \end{aligned} \quad (13)$$

where  $\gamma_R = 1 + \gamma_m m_\infty(V_R)$  is the total membrane conductance of the cable at  $V_R$  divided by the cable's membrane leak conductance.

The oscillators determine the voltage of the cable at  $x = 0$  and  $x = l$ . These voltages would need to be computed by solving the full system of equations for the dynamics of each oscillator, however since we consider weak coupling (meaning that the trajectories are only weakly perturbed by the cable currents) we can make use of the fact that the trajectories are periodic. Hence we expand  $U_A$  and  $U_B$  in a Fourier series, allowing for a possible phase difference  $\phi$  (in radians) between the oscillators:

$$\begin{aligned} U(0, t) &= U_A(t) = \sum_n \tilde{U}_n^A e^{i\omega_n t}, \\ U(l, t) &= U_B(t + \phi \frac{T}{2\pi}) = \sum_n \tilde{U}_n^B e^{i(\omega_n t + |n|\phi)}, \end{aligned} \quad (14)$$

where  $\omega_n = |n| \frac{2\pi}{T}$ ,  $n$  is an integer,  $T$  is the intrinsic oscillator period, and membrane voltages  $U_A$  and  $U_B$  (in mV) are measured relative to  $V_R$ .

The solution of the cable equation (13) will also be periodic and we can write the equation in the frequency domain as

$$\lambda^2 \frac{d^2}{dx^2} \tilde{U}_n(x) - \left( \gamma_R + \frac{\mu}{1 + (\omega_n \tau_m)^2} + i\omega_n \left( \tau - \frac{\mu \tau_m}{1 + (\omega_n \tau_m)^2} \right) \right) \tilde{U}_n(x) = 0. \quad (15)$$

Using the boundary conditions from equation (14) we now write the solution as

$$U(x, t) = \frac{1}{\lambda} \sum_n e^{i\omega_n t} \tilde{U}_n^A \frac{\sinh b_n(L-x)}{\sinh b_n L} + \frac{1}{\lambda} \sum_n e^{i(\omega_n t + |n|\phi)} \tilde{U}_n^B \frac{\sinh b_n x}{\sinh b_n L}, \quad (16)$$

where

$$b_n = \sqrt{\gamma_R + \frac{\mu}{1 + (\omega_n \tau_m)^2} + i\omega_n \left( \tau - \frac{\mu \tau_m}{1 + (\omega_n \tau_m)^2} \right)}, \quad (17)$$

with  $\mu = \gamma_m (V_R - E_m) \frac{\partial}{\partial V} m_\infty(V_R)$ . The parameter  $\mu$  determines whether the active conductance that is present in the cable is regenerative ( $\mu < 0$ ), meaning that perturbations are amplified (e.g. a persistent sodium current), or restorative ( $\mu > 0$ ), meaning that the active conductance counteracts perturbations from  $V_R$  (e.g. the hyperpolarization activated inward current). As mentioned above, the perturbations that the oscillators receive from the cable is

proportional to the derivative of the voltage with respect to  $x$ . For the oscillator at  $x = 0$  the perturbation from the cable is

$$\begin{aligned}
p_A(t; \phi) &= \frac{\partial}{\partial x} U(0, t) \\
&= \frac{1}{\lambda} \sum_n e^{i(\omega_n t + |n|\phi)} \tilde{U}_n^B \frac{b_n}{\sinh b_n L} - \frac{1}{\lambda} \sum_n e^{i\omega_n t} \tilde{U}_n^A b_n \coth b_n L \\
&= \frac{1}{\lambda} \sum_n e^{i\omega_n t} \frac{b_n}{\sinh(b_n L)} \left( \tilde{U}_n^B e^{i|n|\phi} - \tilde{U}_n^A \cosh(b_n L) \right).
\end{aligned} \tag{18}$$

The perturbation from the cable at  $x = l$  can be derived in the same way.

### Phase description and interaction function

We have now derived the perturbations that an oscillator receives depending on the phase difference  $\phi$  between the oscillators. In order to complete our analysis, we also need to compute how these perturbations act back on the phases of the two oscillators and thus on the phase difference. Each of the oscillators is described explicitly by a system of equations determining the dynamics of its voltage equation (11). However, if we assume that the periodic solutions of such a system of equations are sufficiently attractive and the coupling is sufficiently weak we can write an equivalent phase model, see [25]. The phases of the two dendritic oscillators,  $\theta_A(t)$  and  $\theta_B(t)$  (in radians), evolve as

$$\begin{aligned}
\dot{\theta}_A &= \frac{2\pi}{T} + \varepsilon Z_A(\theta_A) p_A(\theta \frac{T}{2\pi}; \phi), \\
\dot{\theta}_B &= \frac{2\pi}{T} + \varepsilon Z_B(\theta_B) p_B(\theta \frac{T}{2\pi}; \phi),
\end{aligned} \tag{19}$$

where  $\frac{2\pi}{T}$  is the intrinsic oscillator frequency. The second term describes the effect of the cable on the phase.  $Z_{A,B}(\theta)$  are the infinitesimal phase response functions of the respective oscillators and describe how much their phases are advanced or delayed in response to an infinitesimally small and short perturbation.

Since we consider weak interactions between the oscillators,  $\phi$  changes slowly with respect to the oscillation period. Therefore we can average the interaction between the oscillators (second terms in equation (19)) over a cycle and obtain the interaction functions  $H_{A,B}(\phi)$ .  $H_A(\phi)$  describes the average effect on the phase of oscillator A over one cycle as a function of  $\phi$ :

$$H_A(\phi) = \frac{1}{2\pi} \int_0^{2\pi} Z_A(\theta) p_A(\theta \frac{T}{2\pi}; \phi) d\theta, \tag{20}$$

with  $p_A$  given by equation (18). The interaction function  $H_B(\phi)$  can be determined analogously. Note that with identical oscillators, we have  $H_B(\phi) = H_A(-\phi)$ .

## 4.2 Interaction function for simplified dendritic oscillators

Consider identical oscillators when both  $Z(\theta) = \sum_n \tilde{Z}_n e^{i|n|\theta}$  and  $p_A(\theta \frac{T}{2\pi}; \phi)$  are dominated by the first Fourier component. One can show that the interaction function is given by

$$H_A(\phi) \approx \rho \cos(\phi + \xi - \zeta) + \nu, \tag{21}$$

where  $\rho$  is a positive coefficient,  $\xi \in [-\pi, \pi]$  is a constant resulting from the cable filtering,  $\zeta \in [-\pi, \pi]$  is a constant that results from the specific properties of the oscillators and  $v$  is a constant (see figure 1A). The expressions for the parameters are

$$\rho = \frac{1}{2} \left| \tilde{Z}_1 \tilde{U}_1 \frac{b_1}{\sinh(b_1 L)} \right|, \quad (22)$$

$$\xi = \arg \left( \frac{b_1}{\sinh(b_1 L)} \right), \quad (23)$$

$$\zeta = \arg \left( \frac{\tilde{Z}_1}{\tilde{U}_1} \right), \quad (24)$$

$$v = -\rho |\cosh(b_1 L)| \cos(\xi - \zeta + \arg(\cosh(b_1 L))), \quad (25)$$

where  $|z|$  and  $\arg(z)$  are, respectively, the absolute value and the angle of the complex number  $z$ .

### Scaling of $\xi$ with $L$

When  $|e^{2b_1 L}| \gg 1$  one can approximate  $\xi$  from equation (23) by

$$\xi \approx \arg(b_1) - L \cdot \text{Im}(b_1), \quad (26)$$

where  $\text{Im}(z)$  is the imaginary part of the complex number  $z$ , while making sure that  $\xi \in [-\pi, \pi]$ .

### Scaling of $\xi$ with membrane resistance $R_m$

The membrane resistance  $R_m$  affects both the membrane resistance and the electrotonic length:  $\tau = R_m C_m$  and  $L = l/\lambda = l/\sqrt{R_m d/4R_a}$ , where  $d$  is the diameter of the cable,  $R_a$  is the intracellular resistivity and  $C_m$  is the membrane capacitance. For small  $R_m$  the imaginary part of equation (17) vanishes and  $\xi$  is zero from equation (23). For large  $R_m$ ,  $\arg(b_1)$  approaches  $\pi/4$  and the product  $b_1 L$  in equation (23) tends to a constant proportional to  $l\sqrt{i\omega_1 C_m R_a/d}$ ;  $\xi$  also saturates since it is equal to the sum of  $\arg(b_1)$  and  $\arg(1/\sinh(b_1 L))$ .

### Scaling of $\xi$ with oscillator frequency $\omega_1$

For low oscillator frequency  $\omega_1$ , the value of  $\xi$  approaches zero as the imaginary part in equation (17) goes to zero. With increasing frequency the term  $\arg(b_1)$  in equation (26) approaches  $\pi/4$ , while the term  $L \cdot \text{Im}(b_1)$  scales as the square root of the frequency. So for large  $\omega_1$ ,  $\xi$  also scales as the square root of  $\omega_1$ .

### Effects of active currents on $\xi$

The effects of active currents on the phase-locking regimes can be seen from equations (17) and (26): a regenerative current ( $\mu < 0$ ) increases  $\xi$  compared to a passive cable since it increases the imaginary part of the complex factor  $b_1$ . Equation (26) shows that therefore the ranges of  $L$  for the different phase-locking regimes shorten. In contrast, a restorative current ( $\mu > 0$ ) typically decreases the imaginary part of  $b_1$  and therefore decreases  $\xi$ , lengthening

the phase-locking regimes. Note that for a range of frequencies  $\omega_1$ , the imaginary part of  $b_1$  will change sign so that a restorative current can in fact make  $\xi$  grow with increasing  $L$  (see figure 2A).

For both restorative and regenerative currents the effects on  $\xi$  disappear for very high frequencies: the terms involving  $\mu$  in equation (17) go to zero. The only effect on  $\xi$  that remains is the decrease of the membrane resistance that results from the addition of the active current to the cable membrane (expressed in  $\gamma_R$ ).

### 4.3 Skew of interaction function

The shape of the interaction function  $H_A(\phi)$  is determined by equations (17), (18) and (20). When the electrotonic separation  $L$  between the two oscillators goes to zero, we have a system of directly coupled oscillators and the interaction function  $H_A(\phi)$  reduces to

$$H_A(\phi) = \frac{1}{2\pi} \int_0^{2\pi} Z_A(\theta) U_B((\theta + \phi) \frac{T}{2\pi}) d\theta - k, \quad (27)$$

where the constant  $k = \frac{1}{2\pi} \int_0^{2\pi} Z_A(\theta) U_A(\theta \frac{T}{2\pi}) d\theta$ .

Introducing an electrotonic separation  $L$  between the oscillators changes the shape of  $H_A(\phi)$  as a result of the cable filtering. When substituting equation (18) into equation (20) one sees that the symmetry of  $H_A(\phi)$  can only be affected by the  $\phi$ -dependent term involving the voltage trace of oscillator B. As  $L$  increases, the increasing cable filtering – determined by the absolute value of the term  $b_n/\sinh(b_n L)$  in equation (18) – leads to dominance of a single Fourier component. Note that it is not necessarily the first Fourier component that will dominate. When  $\mu > 0$  a higher order Fourier component can be the dominant one.

### 4.4 Numerical simulations

The numerical simulations for figure 4, 6 and 7 used Morris-Lecar type II oscillators with parameters as in [27]. The cable was discretized into isopotential compartments with electrotonic length  $\Delta x = 0.05 \lambda$ . The perturbing currents from the cable to, for example, oscillator A are of the form  $\varepsilon (V_2(t) - V_1(t))/\Delta x$  with  $V_1$  and  $V_2$  denoting the membrane potential of the first two compartments. The parameter  $\varepsilon$  giving the coupling between the cable and the oscillators is specified in the different figure captions. The models were simulated with MATLAB. The phase response curves were calculated by determining the system's adjoint [25].

### 4.5 Subthreshold oscillator model

The equations describing the oscillator are of the same form as those used by Morris and Lecar [33]. The oscillatory dynamics emerge from the interaction between the persistent sodium current  $I_{NaP}$  and the hyperpolarization activated inward current  $I_h$ . The current descriptions are based on the data from [13, 14]. The dynamics of  $I_h$  are described by a single gating variable  $w(t)$  with activation function  $w_\infty(V)$  and time constant  $\tau_w(V)/\phi$  (in milliseconds). The voltage-dependent activation of  $I_{NaP}$  is described by  $m_\infty(V)$  and is instantaneous. The

equations read

$$\begin{aligned}
C_m \frac{dV}{dt} &= -g_L(V - E_L) - g_h w(V - E_h) - g_{NaP} m_\infty(V)(V - E_{Na}) + I, \\
\frac{dw}{dt} &= \varphi \frac{w_\infty(V) - w}{\tau_w(V)},
\end{aligned} \tag{28}$$

with  $C_m = 1$ ,  $g_L = 0.3$ ,  $g_h = 1.5$ ,  $g_{NaP} = 0.076$ ,  $E_L = -69$ ,  $E_h = -20$ ,  $E_{Na} = 48$ ,  $\varphi = 0.014$ ,  $I = 0.9$ , and where  $m_\infty(V) = \frac{1}{2}[1 + \tanh((V - V_1)/V_2)]$ ,  $w_\infty(V) = \frac{1}{2}[1 + \tanh((V - V_3)/V_4)]$ , and  $\tau_w(V) = 1/\cosh((V - V_3)/2V_4)$  with  $V_1 = -48.7$ ,  $V_2 = 8.8$ ,  $V_3 = -74.2$ , and  $V_4 = -14.4$ .



## References

- [1] Stuart G, Spruston N, Häusser M (2007) Dendrites. New York: Oxford University Press, 2nd edition.
- [2] Johnston D, Narayanan R (2008) Active dendrites: colorful wings of the mysterious butterflies. *Trends Neurosci* 31:309–16.
- [3] Poirazi P, Brannon T, Mel BW (2003) Pyramidal neuron as two-layer neural network. *Neuron* 37:989–99.
- [4] Rudolph M, Destexhe A (2003) A fast-conducting, stochastic integrative mode for neocortical neurons in vivo. *J Neurosci* 23:2466–76.
- [5] Carnevale NT, Tsai KY, Claiborne BJ, Brown TH (1997) Comparative electrotonic analysis of three classes of rat hippocampal neurons. *J Neurophysiol* 78:703–20.
- [6] Alonso AA, Llinás RR (1989) Subthreshold  $\text{Na}^+$ -dependent theta-like rhythmicity in stellate cells of entorhinal cortex layer II. *Nature* 342:175–7.
- [7] Alonso AA, Klink R (1993) Differential electroresponsiveness of stellate and pyramidal-like cells of medial entorhinal cortex layer II. *J Neurophysiol* 70:128–43.
- [8] Gutfreund Y, Yarom Y, Segev I (1995) Subthreshold oscillations and resonant frequency in guinea-pig cortical neurons: physiology and modelling. *J Physiol* 483 (Pt 3):621–40.
- [9] Pape HC, Paré D, Driesang RB (1998) Two types of intrinsic oscillations in neurons of the lateral and basolateral nuclei of the amygdala. *J Neurophysiol* 79:205–16.
- [10] Sanhueza M, Bacigalupo J (2005) Intrinsic subthreshold oscillations of the membrane potential in pyramidal neurons of the olfactory amygdala. *Eur J Neurosci* 22:1618–26.
- [11] Leung LW, Yim CY (1991) Intrinsic membrane potential oscillations in hippocampal neurons *in vitro*. *Brain Res* 553:261–74.
- [12] Chapman CA, Lacaille JC (1999) Intrinsic theta-frequency membrane potential oscillations in hippocampal CA1 interneurons of stratum lacunosum-moleculare. *J Neurophysiol* 81:1296–307.
- [13] Dickson CT, Magistretti J, Shalinsky MH, Fransén E, Hasselmo ME, et al. (2000) Properties and role of  $I_h$  in the pacing of subthreshold oscillations in entorhinal cortex layer II neurons. *J Neurophysiol* 83:2562–79.
- [14] Fransén E, Alonso AA, Dickson CT, Magistretti J, Hasselmo ME (2004) Ionic mechanisms in the generation of subthreshold oscillations and action potential clustering in entorhinal layer II stellate neurons. *Hippocampus* 14:368–84.
- [15] Kamondi A, Acsády L, Wang XJ, Buzsáki G (1998) Theta oscillations in somata and dendrites of hippocampal pyramidal cells *in vivo*: activity-dependent phase-precession of action potentials. *Hippocampus* 8:244–61.

- [16] Mainen ZF, Carnevale NT, Zador AM, Claiborne BJ, Brown TH (1996) Electrotonic architecture of hippocampal CA1 pyramidal neurons based on three-dimensional reconstructions. *J Neurophysiol* 76:1904–23.
- [17] Migliore M, Shepherd GM (2002) Emerging rules for the distributions of active dendritic conductances. *Nat Rev Neurosci* 3:362–70.
- [18] Magee JC (1998) Dendritic hyperpolarization-activated currents modify the integrative properties of hippocampal CA1 pyramidal neurons. *J Neurosci* 18:7613–24.
- [19] Lörincz A, Notomi T, Tamás G, Shigemoto R, Nusser Z (2002) Polarized and compartment-dependent distribution of HCN1 in pyramidal cell dendrites. *Nat Neurosci* 5:1185–93.
- [20] Llinás RR, Sugimori M (1980) Electrophysiological properties of *in vitro* Purkinje cell dendrites in mammalian cerebellar slices. *J Physiol* 305:197–213.
- [21] Johnston D, Christie BR, Frick A, Gray R, Hoffman DA, et al. (2003) Active dendrites, potassium channels and synaptic plasticity. *Philos Trans R Soc Lond B Biol Sci* 358:667–674.
- [22] O’Keefe J, Burgess N (2005) Dual phase and rate coding in hippocampal place cells: theoretical significance and relationship to entorhinal grid cells. *Hippocampus* 15:853–66.
- [23] Burgess N, Barry C, O’Keefe J (2007) An oscillatory interference model of grid cell firing. *Hippocampus* 17:801–12.
- [24] Giocomo LM, Zilli EA, Fransén E, Hasselmo ME (2007) Temporal frequency of sub-threshold oscillations scales with entorhinal grid cell field spacing. *Science* 315:1719–1722.
- [25] Izhikevich E (2007) *Dynamical systems in neuroscience: the geometry of excitability and bursting*. Cambridge (Massachusetts): MIT Press.
- [26] Rall W (1967) Distinguishing theoretical synaptic potentials computed for different soma-dendritic distribution of synaptic inputs. *J Neurophysiol* 30:1138–1168.
- [27] Ermentrout GB (1996) Type I membranes, phase resetting curves, and synchrony. *Neural comp* 8:979–1001.
- [28] Crook SM, Ermentrout GB, Bower JM (1998) Dendritic and synaptic effects in systems of coupled cortical oscillators. *J Comput Neurosci* 5:315–29.
- [29] Bressloff PC (1999) Resonantlike synchronization and bursting in a model of pulse-coupled neurons with active dendrites. *J Comput Neurosci* 6:237–49.
- [30] Goldberg JA, Deister CA, Wilson CJ (2006) Response properties and synchronization of rhythmically firing dendritic neurons. *J Neurophysiol* 97:208–19.
- [31] Mauro A, Conti F, Dodge F, Schor R (1970) Subthreshold behavior and phenomenological impedance of the squid giant axon. *J Gen Physiol* 55:497–523.

- [32] Koch C (1984) Cable theory in neurons with active, linearized membranes. *Biol Cyber* 50:15–33.
- [33] Morris C, Lecar H (1981) Voltage oscillations in the barnacle giant muscle fiber. *Biophys J* 35:193–213.
- [34] Galán RF, Ermentrout GB, Urban NN (2005) Efficient estimation of phase-resetting curves in real neurons and its significance for neural-network modeling. *Phys Rev Lett* 94:158101.
- [35] Huhn Z, Orbán G, Érdi P, Lengyel M (2005) Theta oscillation-coupled dendritic spiking integrates inputs on a long time scale. *Hippocampus* 15:950–62.
- [36] Medvedev GS, Wilson CJ, Callaway JC, Kopell NJ (2003) Dendritic synchrony and transient dynamics in a coupled oscillator model of the dopaminergic neuron. *J Comput Neurosci* 15:53–69.
- [37] Kopell N, Ermentrout GB (1986) Symmetry and phaselocking in chains of weakly coupled oscillators. *Comm Pure Appl Math* 39:623–660.
- [38] Hasselmo ME, Giocomo LM, Zilli EA (2007) Grid cell firing may arise from interference of theta frequency membrane potential oscillations in single neurons. *Hippocampus* 17:1252–71.




Figure 1: Passive cable coupling.  $A_1$ : The oscillators with voltage trajectories  $V_A(t)$  and  $V_B(t)$  and phase difference  $\phi$  determine the membrane potential at the ends of a cable with electrotonic length  $L$ .  $A_2$ : The interaction function  $H_A(\phi)$  gives the phase shift of oscillator A as a function of  $\phi$ . This interaction function is shifted along the  $\phi$ -axis by the parameters  $\zeta$  and  $\xi$ , which capture the oscillator and cable properties, respectively.  $A_3$ : The stable phase-locked solution is determined by  $\dot{\phi} = 0$  and  $\frac{d}{d\phi}\dot{\phi} < 0$  and is either at  $\phi = 0$  (e.g. for the solid curve) or at  $\phi = \pi$  (e.g. for the dash-dotted curve).  $A_4$ : The stable phase-locked solution as a function of  $\xi$ . The value of  $\xi$  uniquely determines where the in-phase (black solid line) or the anti-phase solution (red dotted line) is stable, given a fixed value of  $\zeta$ .  $B$ :  $\xi$  as a function of the electrotonic distance  $L$  between the oscillators,  $\tau = 20$  ms and  $T = 20$  ms (dotted line in panel D). For illustrative purposes we chose  $\zeta = \pi/3$  so that the stable in-phase and anti-phase solutions are given by the white and gray areas, respectively.  $C$ :  $\xi$  as a function of the membrane resistance  $R_m$  for cable diameter  $d = 1 \mu\text{m}$ , distance between the oscillators  $1000 \mu\text{m}$ , membrane capacitance  $C_m = 1 \mu\text{F}/\text{cm}^2$ , intracellular resistivity  $R_a = 200 \Omega\text{cm}$  and oscillator period  $T = 20$  ms.  $D$ :  $\xi$  as a function of the oscillator frequency  $1000/T$ . The distance between the oscillators is  $L = 2$  (dotted line in B),  $\tau = 20$  ms.




Figure 2: Active cable coupling. A: Parameter  $\xi$  as a function of the electrotonic distance  $L$  between the oscillators when the cable is passive (black) or with a regenerative (green) or a restorative (red) active current. The oscillator frequency is 8 Hz (dotted line in panel B). The membrane time constant of the connecting dendrite is  $\tau = 20$  ms. The parameters for the active currents were determined for  $I_h$  (restorative) and  $I_{NaP}$  (regenerative) as described in Methods. The linearized current parameters around  $V_R = -50.25$  mV are  $\mu = -4.1$ ,  $\gamma_R = 1.3$  and  $\tau_m = 1$  ms for the regenerative current, and  $\mu = 2.1$ ,  $\gamma_R = 1.5$  and  $\tau_m = 52$  ms for the restorative current. B:  $\xi$  as a function of the frequency of the oscillator (in Hz). The oscillators are separated by a cable with electrotonic length  $L = 1.75$  (dotted line in panel A) for the same three conditions as in panel A.




Figure 3:  $H_A$  skewness controls phase-locking regimes and transitions. The three panels A-B-C show triangular  $H_A$  functions with different skewness with their peaks at  $\phi = k \cdot 2\pi + \xi^*$  where  $\xi^*$  is a phase shift that results from the cable coupling. The oscillators are identical so that  $H_B(\phi) = H_A(-\phi)$ . A: Right-skewed  $H_A$  with  $k = 0.1$  (solid black line) plotted from left to right for three values of  $\xi^*$  together with the corresponding  $H_B$  (dashed blue line). Below each graph  $H_B - H_A$  is plotted (green lines) with the stable (black dots) and unstable (red dots) phase-locked solutions. The lower right panel shows the bifurcation diagram with the stable (solid black line) and unstable (dotted red line) phase-locked solutions. The right-skewed  $H_A$  yields gradual transitions between the in-phase and anti-phase solutions. B: Symmetrical  $H_A$  with  $k = 0.5$  yields abrupt transitions between in-phase and anti-phase solutions. C: Left-skewed  $H_A$  with  $k = 0.9$  yields bistable regions where both the in-phase and the anti-phase solution are stable.






Figure 4: Phase-locking of two Morris-Lecar type II oscillators coupled via a passive cable of electrotonic length  $L$ ,  $\tau = 20$  ms. The equations describing the type II Morris-Lecar oscillators are as in [27]. A: Voltage trajectory (blue) and phase response function (black) of the Morris-Lecar type II oscillator, period  $T = 21$  ms. B: Shape of  $H_A(\phi)$  for  $L = 0$  (solid curve),  $L = 2$  (dashed curve) and  $L = 4$  (dash-dotted curve). The functions have been rescaled and aligned in order to show the different degrees of skewness. C: Bifurcation diagram showing the stable (solid black line) and unstable (dashed red line) phase-locked solutions as a function of  $L$ . D: The middle two panels show simulations of the phase difference dynamics (red curves) for  $L = 1.1$  (top) and  $L = 2.1$  (bottom). Membrane potential of the two oscillators is plotted at the start (left) and at the end (right) of the two simulations. Coupling parameter  $\varepsilon = 0.002$ .




Figure 5: Phase-locking behavior of a subthreshold oscillator. The oscillations are generated by  $I_{NaP}$  and  $I_h$  (see Methods). A: Voltage trajectory (blue) and phase response function (black) of the oscillator. B: Corresponding bifurcation diagrams showing the stable (solid black lines) and unstable (dashed red lines) phase-locked solutions as a function of  $L$ . The bifurcation diagram is shown for a passive cable (top), a cable with a regenerative current (middle), and a cable with a restorative current (bottom). The parameters for the active currents are as in figure 2.




Figure 6: Phase difference dynamics of three oscillators in a chain or a branched configuration. The Morris-Lecar type II oscillators are separated by a passive cable,  $\tau = 20$  ms. Panels A and B show from left to right: a scheme of the model with below it the membrane potential of the oscillators at the start of the simulation; the dynamics of the phase difference  $\phi$  between the oscillators for  $L = 1.1$  (top) and  $L = 2.1$  (bottom); and the membrane potential of the oscillators at the end of the simulation. The properties of the Morris-Lecar oscillators and the dendritic cable are as in figure 4.




Figure 7: Changing the phase-locked solution of dendritic oscillators with external input and its detection with an excitable soma. A: Schematic drawing showing the configuration of the dendritic Morris-Lecar type II oscillators (parameters as in figure 4) and the soma (integrate and fire mechanism). All are separated by a passive cable with electrotonic length  $L = 1.65$  and  $\tau = 20$  ms. B: From top to bottom are shown the inputs to the two dendritic oscillators, the phase difference dynamics (red) and somatic firing rate (black), and the somatic membrane potential  $V_m$  (blue). C-D: Bifurcation diagrams describing the phase-locked solutions up to  $t = 6$  seconds (C, see also figure 4C) and after  $t = 6$  seconds (D) with dotted line at  $L = 1.65$ . Integrate and fire mechanism at soma has a fixed threshold at  $-38.3$  mV. When the threshold is reached a spike is generated with a 1 ms peak at 30 mV after which the somatic  $V_m$  is reset to  $-45$  mV for 4 ms. Coupling between dendritic cable and oscillators  $\varepsilon = 0.05$ .