

CORRECTION



Correction: EZH2 has a non-catalytic and PRC2-independent role in stabilizing DDB2 to promote nucleotide excision repair

Allyson E. Koyen, Matthew Z. Madden, Dongkyoo Park, Elizabeth V. Minten, Priya Kapoor-Vazirani, Erica Werner, Neil T. Pfister, Ramona Haji-Seyed-Javadi, Hui Zhang, Jie Xu, Nikita Deng, Duc M. Duong, Turner J. Pecan, Zoë Frazier, Zachary D. Nagel , Jean-Bernard Lazaro, Kent W. Mouw, Nicholas T. Seyfried , Carlos S. Moreno , Taofeek K. Owonikoko, Xingming Deng and David S. Yu


© The Author(s), under exclusive licence to Springer Nature Limited 2025

Oncogene (2025) 44:928–930; <https://doi.org/10.1038/s41388-025-03345-9>


Correction to: *Oncogene* <https://doi.org/10.1038/s41388-020-1332-2>, published online 26 May 2020

Following the publication of this article, an oversight was noted in Fig. 4E with the the IP of DDB1 blot inadvertently duplicated for the IP of EZH2 blot. The figure has now been corrected with the correct IP of EZH2 blot. The authors apologize for this oversight and confirm that this correction has no impact on the conclusions of the figure or manuscript. The interaction of EZH2 and DDB1 was also validated with the endogenous proteins and in other cell types in other figures in the manuscript.

Former Fig. 4:



Corrected Fig. 4:



The original article has been corrected.