



Publisher Correction: Next-generation rapid phenotypic antimicrobial susceptibility testing

Correction to: *Nature Communications*
<https://doi.org/10.1038/s41467-024-53930-x>,
published online 09 November 2024

<https://doi.org/10.1038/s41467-025-57678-w>

Published online: 21 March 2025



Grace Resznetnik, Keely Hammond, Sara Mahshid , Tamer AbdElFatah ,
Dao Nguyen , Rachel Corsini, Chelsea Caya, Jesse Papenburg,
Matthew P. Cheng  & Cedric P. Yansouni 

In this article ref. 51 was incorrectly given as 'Jalali, M. et al. AI-powered ultra-rapid PhenEXA for multiplexed phenotypic antimicrobial susceptibility profiling directly from specimens. *J. Clin. Microbiol.* 61, e0054923 (2024)' but should have been 'Mahshid, S., Jalali, M., Abdelwahab, T. & Del Real Mata, C. (2022) US20220372556A1, 24 Nov 2022'. The original article has been updated.

Open Access This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

© The Author(s) 2025