

Author Correction: Stereotactic radiosurgery for patients with brain metastases: current principles, expanding indications and opportunities for multidisciplinary care

Correction to: *Nature Reviews Clinical Oncology* <https://doi.org/10.1038/s41571-025-01013-1>, published online 19 March 2025.

<https://doi.org/10.1038/s41571-025-01083-1>

Published online: 3 October 2025

 Check for updates

Alireza Mansouri , Ahmad Ozair , Debarati Bhanja, Hannah Wilding, Elad Mashiach, Waqas Haque, Nicholas Mikolajewicz, Leonardo de Macedo Filho, Sean S. Mahase, Mitchell Machtay, Philippe Metellus, Frédéric Dhermain, Jason Sheehan, Douglas Kondziolka, L. Dade Lunsford, Ajay Niranjan, Giuseppe Minniti, Jing Li, Steven N. Kalkanis, Patrick Y. Wen , Rupesh Kotecha, Michael W. McDermott, Chetan Bettegowda , Graeme F. Woodworth , Paul D. Brown, Arjun Sahgal  & Manmeet S. Ahluwalia 

In the version of the article initially published, in the second paragraph of the “Mitigating iatrogenic seeding of brain parenchyma and leptomeninges” section, two percentages were switched in the sentence “...the LMD development rate at 2 years was 16.6% among 114 patients who underwent neoadjuvant SRS ($n = 114$) versus 3.2% in 66 patients who received adjuvant SRS”. This text has now been corrected to read “...the LMD development rate at 2 years was 3.2% among 114 patients who underwent neoadjuvant SRS versus 16.6% in 66 patients who received adjuvant SRS” in the HTML and PDF versions of the article.

© Springer Nature Limited 2025