



OPEN

Experimental design and analysis of advanced three phase converter for PV application with WCO-P&O MPPT controller

K. Krishnam^{1✉}, S. Sivamani¹, Zuhair Alaas^{2✉}, M. M. R. Ahmed³, S. Senthilkumar^{1,5} & S. Antony Raj⁴

Photovoltaic (PV)-based power generation systems are becoming increasingly popular as a due to its high performance and cleanliness. Several factors influence the performance of a PV system, including shadowing effects. PV systems employ MPPT methodologies to obtain the power from PV array. Conventional MPPTs works well under normal conditions when there is no shadow effects or partial shading. The presence of partial shading affects the system performance and generates several power peaks. This complicates the process of finding out of the global peak (GMPP) with improved tracking efficiency and reduced settling time including conversion efficiency. This work proposes three hybrid MPPT techniques: Voltage Cycle Optimisation-Perturb and Observe (WCO-PO), Artificial Neural Network Supported Adaptive Stepped-Scaled Perturb and Observe (ANN-ASSPO), Grey Wolf Optimisation-Modified Fast Terminal Sliding Mode Controller (GWO-MFTSMC), and two conventional MPPT techniques WCO and P&O have been implemented. The proposed system utilizes interleaved boost converter with three phase. The performances of proposed hybrid MPPTs strategies were compared in terms of output voltage, output current and extracted power. The comparison also includes conversion efficiency and average settling time. To analyse the performances, four different cases have been used to test the efficacy of hybrid MPPTs under changing climatic conditions. The MATLAB/Simulink tool has been used to analyze the PV system performances. In the three hybrid MPPT techniques, WCO-PO has performed better when compared to other two hybrid MPPTs in terms of conversion efficiency (99.56%) and settling time (1.4 m).

Keywords: Interleaved boost converter, Maximum power point tracking (MPPT), WCO-PO, ANN-ASSPO, GWO-MFTSMC, WCO and P&O

Implementing MPPT is a crucial approach in enhancing PV system power generation. The MPPT algorithm adjusts the converter duty cycle. Partial shade of photovoltaic panels is a significant issue caused by factors such as clouds, dirt, trees, and dust in solar systems. This results in many local peaks on the P-V curve. The presence of many maximum power points can cause standard MPPT algorithms to become stuck at a local peak, leading to a significant power loss¹⁻³. In⁴, the authors proposed a hybrid MPPT technique for Photovoltaic systems that incorporates ANN and Perturb and Observe algorithms. This technique is specifically designed to optimize PV system performance in the presence of partial shadowing. In⁵ authors introduced a hybrid MPPT algorithm that combines two widely employed algorithm called V_{OC} and variable step size incremental technique to identify the GMPP. A hybrid algorithm proposed in⁶ which combines fractional open circuit voltage, modified P&O, and INC algorithms which enhanced the efficiency of PV systems when they are exposed to partial shade situations. In⁷, the authors examined multiple MPPT algorithms, including hybrid algorithms, used in a PV generation system operating under partial shadowing conditions. The review of MPPT algorithms has been conducted and

¹Department of Electrical and Electronics Engineering, E.G.S. Pillay Engineering College, Nagapattinam, Tamil Nadu 611002, India. ²Department of Electrical Engineering, Faculty of Engineering, Jazan University, 45142 Jizan, Saudi Arabia. ³Faculty of Technology and Education, Helwan University, Helwan, Egypt. ⁴Department of Electrical and Electronics Engineering, St. Anns College of Engineering and Technology, Chirala, Andhra Pradesh 523187, India. ⁵Department of Electronics and Communication Engineering, E.G.S. Pillay Engineering College, Nagapattinam, Tamil Nadu 611002, India. ✉email: krishnamresearch@gmail.com; zalaas@jazanu.edu.sa

categorized into four fundamental areas. MPPT optimization algorithms, the hybrid MPPT algorithms, the innovative modelling approaches, and the alternative converter topologies are the four categories^{8–14}.

In article¹⁵, the authors suggested an altered MPPT algorithm specifically designed for photovoltaic (PV) systems operating in rapidly fluctuating partial shading scenarios. The algorithm combines the Firefly Algorithm (FA) and Genetic approach (GA), while also enhancing its computation process through the inclusion of a DE approach. In¹⁶, the authors introduced a hybrid GMPP tracking algorithm designed to operate effectively in situations of partial shade. An enhanced hybrid MPPT algorithm introduced in article¹⁷ that utilizes evolutionary algorithms, specifically PSO and DE. The primary attributes of the proposed hybrid MPPT algorithm lie in its ability to leverage the advantages of one technique to offset the limitations of the other method. A hybrid algorithm is introduced in the article¹⁸ which is developed by combines the Grey Wolf Optimization (GWO) and INC methods. This method is designed to accurately locate and track the MPP in various environmental situations.

In^{19–21}, the authors examined the hybrid technique that combines PSO with INC. They conducted an examination of the context of photovoltaic (PV) systems operating under various partial shade situations. In^{22–24}, the researchers tackled the problem by combining a variable step size incremental conductance (INC) approach with a bio-inspired distributed framework (DF) optimization algorithm. Similarly, in²⁵, the authors proposed a new hybrid MPPT approach that combines GWO and PSO approaches. The MPPT developed not only overcomes the typical drawbacks of traditional MPPT methods, but also provides a straightforward and dependable approach for effectively managing partial shading in photovoltaic systems. A hybrid algorithm developed by the authors by combining the Differential Evolution (DE) and Incremental Conductance (INC) approaches for implementing the MPPT technique in a PV system. The implementation of both methods has resulted in the development of two independent algorithms, namely MPPT-INC and MPPT-DE. Additionally, a hybrid method called MPPT-DE-INC has been proposed^{26–32}.

A study conducted by the authors in³³ is Simulated Annealing—P&O based MPPT method to optimize the maximum power extraction from PV arrays. The efficacy of the MPPT method was confirmed by a comparison with the P&O algorithm. In³⁴, the authors proposed a hybrid MPPT algorithm with WCO-P&O and ANN-ASSPO method. This method has improved the tracking, conversion efficiency and settling time under partial shading conditions. The PV system would be more useful if it uses proper MPPT techniques with very less settling time, high conversion efficiency even under partial shading conditions and appropriate converter to boost the parameters as per load requirements. This paper has been organized in a way such as motivation for new hybrid MPPT is discussed in the chapter 2. Chapter 3 discusses about the proposed methodology and simulated results and its discussions were presented in the chapter 4. This work ends with summary in the chapter 5.

Motivation for a new MPPT

In the partial shading conditions, rapidly varying weather conditions, several peaks occur in the PV characteristics of a solar panel as shown in Fig. 1. Due to this the power generated may varies depend upon the peak selected by the MPPT. Sometimes the MPPT technique gets trapped in the local peaks instead of identifying or selecting the global peak (GMPP) as shown in the Fig. 1.

In this case power extraction will be minimum due to improper selection or identifying the peak. Even the global peak is identified by MPPT method, the oscillations around global peak and settling time decides the performance of MPPT. Therefore a proper MPPT technique is needed with more conversion efficiency and reduced settling time.

Maximum power point techniques for partial shading conditions

Hybrid MPPT algorithms and conventional algorithms were developed and used for a standalone application fed by a PV source. The PV system designed with three phase interleaved boost converter to eliminate the ripples present in the output. This section is organized by discussion about (i) WCO-PO algorithm, (ii) ANN-ASSPO algorithm and (iii) GWO-MFTSMC algorithm.




Figure 1. Global peak under partial shading conditions.

WCO-PO algorithm

The algorithm related with water cycle is a nature inspired concept that explains how streams and rivers naturally migrate towards the sea. The water cycle diagram is shown in Fig. 2.

A river/stream forms when water flows from uphill to downhill. "Rivers" flow downward constantly. "Rain and certain other streams" accumulate water as they drop before reaching the ocean. In this process, portion of water gets evaporated. This evaporation brings clouds, which brings back as rain to the earth. The new streams will get created from these rain and forms fresh streams that run into rivers or sea. This is a cyclical process. Here, the sea is supposed to be the GMPP, while the local MPP is streams and rivers. The cost function is mentioned in Eqs. (1) and (2) defines the condition to stop evaporation and raining. The new streams formed are represented in Eq. (3).

$$C_i = Cost_i = P_{FC} = N \times V_{cell} \times I_{FC} \tag{1}$$

where C_i = functioncost

$$|X_{sea} - X_{river}| < d_{max} \tag{2}$$

$$X^{new}_{stream} = X_{sea} + \sqrt{0.1} \times randn(1, N_{var}) \tag{3}$$

ANN-ASSPO algorithm

The backpropagation technique has been utilized in the hybrid MPPT which will be initiated with the help of random weights. During the forward journey, output or scaling factor will be obtained and it will get compared to find out the error. Based on the error, the weights of network will be adjusted to minimize the error calculated in the backward path. The input to the network is voltage, current and power of photovoltaic array. The output of the network is scaling factor (N). Modifying the weights with the help of gradient descent algorithm to reduce the error (N) and to locate the GMPP is an objective of this MPPT. The scaling parameter (N) is utilized in the P&O method to obtain maximum power even under partial or complex partial shading conditions. The ANN architecture for ANN-ASSPO is shown in Fig. 3.

GWO-MFTSMC algorithm

The fitness value of grey wolves is frequently monitored and gets updated in the GWO-MFTSMC MPPT technique. If the position of grey wolves' is close to the prey, then GMPP is reached. In the GWO-MFTSMC, a maximum power point tracking charge controller is interposed among the photovoltaic module and the battery. By monitoring the voltage of the battery, it determines the state of charge of the battery. When the battery reaches its maximum charge capacity, the charging process is halted in order to avoid overcharging the battery. When it has not been completely charged, it starts the charging process by activating the ILBC. The optimization function is given in Eqs. (4) and (5).

$$\text{Minimize } f_i(k, t) \tag{4}$$

$$k = (\alpha_i, \beta_i, \gamma_i, \lambda_i)^T \tag{5}$$

The Simulink diagram of the proposed PV system is shown in Fig. 4. The following system has PV array, three phase interleaved boost converter and a load.




Figure 2. Water Cycle.




Figure 3. ANN architecture for ANN-ASSPO.




Figure 4. Simulink diagram of proposed PV system with 3 phase ILBC under uniform irradiance.

Simulation results and discussions

The performance of hybrid algorithms and conventional algorithms are assessed through simulations with MATLAB/Simulink software. The photovoltaic cell characteristics are mentioned in the Table 1. The switching frequency of a three phase ILBC is 20 kHz, L_1 , L_2 and L_3 is 120 μ F and C is 300 μ H.

The three hybrid algorithms are tested under four cases which has varying irradiance.

- (i) Case 1: Uniform irradiance
- (ii) Case 2: Partial shading condition—I

Characteristics	Value
P_{max} = maximum power	305.095 Watts
V_{MPP} = operating voltage	37.9 Volts
I_{MPP} = operating current	8.05 Amps
I_{sc} = short circuit current	8.47 Amps
V_{oc} = open circuit voltage	46.3 Volts

Table 1. Characteristics of PV cell.

- (iii) Case 3: Partial shading condition—II
- (iv) Case 4: Complex partial shading condition

The irradiance received by each panel (P1:4) and maximum power that photovoltaic array can be generated is provided in the Table 2.

(i) Case 1: Uniform irradiance.

In this case, all four PV panel are received constant irradiance (1000 W/m²) at 32° C. the temperature assumed in all four cases are constant and above the standard test conditions (25° C). The maximum power should get extracted from the PV array is 1220W. The voltage generated by WCO-PO method is 151.60 V, ANN-ASSPO method is 150.40 V and 149.60 V by GWO-MFTSMC, 147 V by WCO and 142 V by P&O method. In the case of power generation, WCO-PO MPPT method generates more power than all other method. WCO-PO generates 1217 W, ANN-ASSPO is 1200 W and GWO-MFTSMC method generates 1205 W. The WCO and P&O method generates 1151 W and 1012 W respectively. The tracking efficiency of WCO-PO is better when compared to ANN-ASSPO, GWO-MFTSMC, WCO and P&O algorithms. In case 1 with uniform irradiance the tracking efficiency of WCO-PO is 99.75%, ANN-ASSPO is 98.38%, GWO-MFTSMC is 98.77%

The WCO and P&O algorithm has low tracking efficiency. Oscillations are more in P&O method. The settling time of all five MPPTs is less. GWO-MFTSMC method having an advantage over the other two in terms of reduced settling time. GWO-MFTSMC has settling time of 0.7 ms. The simulated voltage, current and power of PV array is shown in the Figs. 5, 6 and 7.

(ii) Case 2: Partial shading condition I.

In partial shading condition I, all four PV panel have received different irradiance. PV panel 1 received 650 W/m², PV panel 2 received 850 W/m², PV panel 3 received 1000 W/m² and PV panel 4 received 750 W/m² at 32 °C. The temperature assumed in all four cases is constant and above the standard test conditions (25 °C). In this case the maximum peak power from the PV array is 991 W. The voltage generated by WCO-PO method is 130.40 V, ANN-ASSPO method is 129.60 V and 129.60 V by GWO-MFTSMC. The WCO and P&O method generated 118 V and 110 V respectively. Similarly the current generated from the PV array is 7.56A, 7.58A, 7.53A, 7.36 A and 6.95 A by WCO-PO, ANN-ASSPO, GWO-MFTSMC, WCO and P&O method respectively. The power generation in the partial shading condition I is, WCO-PO generates 986 W, ANN-ASSPO is 982 W, GWO-MFTSMC method generates 976 W, WCO method generates 866 W and 762 W by P&O methods. The tracking efficiency of WCO-PO is better when compared to ANN-ASSPO, GWO-MFTSMC, WCO and P&O algorithms. In case 2- partial shading condition-I, the PV panels received different irradiance level due to change in weather condition. The tracking efficiency of WCO-PO is 99.48%, ANN-ASSPO is 99.13%, GWO-MFTSMC is 98.48%, 87.39% by WCO and 76.89% by P&O. The oscillations are more in P&O method. Due to the presence

Cases	Case-1—Uniform irradiance				Case-2—Partially shaded—I			
	P:1	P:2	P:3	P:4	P:1	P:2	P:3	P:4
Irradiance	1000	1000	1000	1000	650	850	1000	750
P_{max}	1220 Watts				991 Watts			
Cases	Case-3—partially shaded—II				Case-4—Complex partial Shading			
	P:1	P:2	P:3	P:4	P:1	P:2	P:3	P:4
Irradiance	900	1000	800	750	500	400	750	200
P_{max}	1052 Watts				564 Watts			

Table 2. Various irradiance level received by each panel.




Figure 5. PV array voltage in case 1.




Figure 6. PV array current in case 1.




Figure 7. PV array power in case 1.

of MFTSMC controller, GWO-MFTSMC method has reduced oscillations. GWO-MFTSMC has settling time of 1.3 ms. All five proposed algorithms take more time to settle in case-2 than case-1 due to the presence of partial shading. The simulated voltage, current and power of PV array is shown in the Figs. 8, 9 and 10.

(iii) Case 3: partial shading condition II.

In this condition, i.e. partial shading condition II, PV panels received different irradiance at 32 °C. 900 W/m² received by panel 1, 1000 W/m² received by panel 2, 800 W/m² received by panel 3 and 750 W/m² received by panel 4. The maximum peak power that can be extracted from the PV array under partial shading condition II is 1052 W. In this case 3, the WCO-PO generates 138.40 V, ANN-ASSPO generates 137.60 V, GWO-MFTSMC generates 137.20 V, WCO generates 130.4 V and P&O generates 126.4 V. During this case 3, the current generated by WCO-PO algorithm is 7.58A, ANN-ASSPO algorithm is 7.59A, GWO-MFTSMC algorithm is 7.55A, WCO algorithm is 7.28 A and P&O algorithm is 7.05A. The power generated by the PV array in case 3 is more than case 2 and less than case1 which is uniform irradiance. The power generated by the PV array under case




Figure 8. PV array voltage in case 2.




Figure 9. PV array current in case 2.




Figure 10. PV array power in case 2.

3 is 1049W by WCO-PO algorithm, 1044W by ANN-ASSPO algorithm, 1036W by GWO-MFTSMC, 949 W by WCO and 871 W by P&O algorithm. The power generation through WCO-PO is more than ANN-ASSPO, GWO-MFTSMC, WCO and P&O algorithm. Higher tracking efficiency is achieved in WCO-PO method. In case 3- partial shading condition-II, the tracking efficiency of WCO-PO is 99.728%, ANN-ASSPO is 99.28%, GWO-MFTSMC is 98.47%, WCO is 90.21% and P&O is 84.70%. Similar to all other cases, oscillations are more in P&O method. WCO-PO method has very less settling time than other MPPT methods with settling time of 1.2 ms. The simulated voltage, current and power of PV array under case 3 is shown in the Figs. 11, Fig. 12 and 13.

(v) Case 4: Complex partial shading condition.

Three panels in complex partial shading conditions have received less irradiance than partial shading condition I and II, in this scenario, irradiance received by panel 1 is 500 W/m². Similarly irradiance level 400 W/m², 350 W/m² and 200 W/m² are received by panel 2, Panel 3 and panel 4 respectively. In this complex partial




Figure 11. PV array voltage in case 3.




Figure 12. PV array current in case 3.




Figure 13. PV array power in case 3.

shading condition, the peak power which can be extracted from the PV array is usually lesser than the power extracted from partial shading conditions. In this case 4, the maximum peak power that can be extracted from the PV array is 564 W. In this case 4, the WCO-PO generates 122.20 V, ANN-ASSPO generates 121.60 V, GWO-MFTSMC generates 121.20 V, WCO generates 114.4 V and P7O generates 102.4 V. The current generated by WCO-PO algorithm is 4.58 A, ANN-ASSPO algorithm is 4.56 A, GWO-MFTSMC algorithm is 4.55A, WCO algorithm is 4.52 A and P&O algorithm is 3.57 A. The power generated by the PV array under case 4 is 560 W by WCO-PO algorithm, 554 W by ANN-ASSPO algorithm, 551W by GWO-MFTSMC algorithm, 442 W by WCO algorithm and 366 W by P&O algorithm. Similar to all three cases, the power generation through WCO-PO is the highest than ANN-ASSPO, GWO-MFTSMC, WCO and P&O algorithm. Higher tracking efficiency is achieved in WCO-PO method than all other MPPT methods. In complex partial shading condition, the tracking efficiency of WCO-PO is 99.29%, ANN-ASSPO is 98.22%, GWO-MFTSMC is 97.69%, WCO is 78.37% and P&O is 64.89%. WCO-PO has very less settling time of 1.9 ms. The simulated voltage, current and power of PV array under case 4 is shown in the Fig. 14, Fig. 15 and Fig. 16.




Figure 14. PV array voltage in case 4.




Figure 15. PV array current in case 4.




Figure 16. PV array power in case 4.

Table 3 gives the value of power, voltage, current generated, tracking efficiency and settling time of WCO-PO, ANN-ASSPO, GWO-MFTSMC, GWO and P&O MPPT technique in all four cases. Figure 17 and Fig. 18 shown below are the comparative analysis of conversion efficiency or tracking efficiency and settling time of all five MPPT techniques.

Hardware setup and its results

A prototype for PV system has been developed with PV panels such as $6 \times 200 \text{ W}_p$, three phase interleaved boost converter and dsPIC microcontroller. Case 3 has been taken into considerations for analyzing the performance of MPPT techniques in the prototype. The hardware setup, voltage, current and power generated are shown in the Figs. 19, 20, 21 and 22.

Summary

In this work, three novel hybrid MPPT algorithms WCO-PO, ANN-ASSPO and GWO-MFTSMC, a nature inspired algorithm WCO and a conventional algorithm P&O have been presented. A PV system has been developed with three phase ILBC, hybrid algorithms and a load. In this system, four PV panels are connected in series ($4 \times 305.095 \text{ W}$) to form a PV array. ILBC has been designed with duty ratio of 0.5. Four different cases such as uniform irradiance, partial shading condition (I) & (II) and complex partial shading conditions are used to test the performance of the PV system proposed. The highest power generated by WCO-PO in all four cases is 1217 W (Case 1), ANN-ASSPO is 1200 W (case 1), GWO-MFTSMC is 1205 W (Case 1), WCO is 1151 W(case 1) and P&O is 1012 W(Case 1). The lowest power generated by WCO-PO is 560 W, ANN-ASSPO is 554 W, GWO-MFTSMC is 551 W, WCO is 442 W(Case 4) and P&O is 366 W (Case 4). These powers are generated under complex partial shading condition (Case 4). The average tracking efficiency of WCO-PO is 99.56%, ANN-ASSPO is 98.75%, GWO-MFTSMC is 98.35%, WCO is 87.57% and P&O is 77.37%. The average settling time of WCO-PO is 1.4 ms, ANN-ASSPO is 1.9 ms, GWO-MFTSMC is 1.3 ms, WCO is 2.17 ms and P&O is 2.55 ms. In terms of power generation and tracking efficiency, WCO-PO method outperformed ANN-ASSPO, GWO-MFTSMC, WCO and P&O method. When comes to settling time GWO-MFTSMC and WCO-PO method quickly approaches the maximum power.

S. no	MPPT	Parameters	Case 1	Case 2	Case 3	Case 4
1	WCO-PO	Voltage (V)	151.60	130.40	138.40	122.20
		Current (A)	8.03	7.56	7.58	4.58
		Power (W)	1217.35	985.82	1049.07	559.68
		Tracking efficiency (%)	99.75	99.48	99.72	99.29
		Settling time (ms)	0.90	1.50	1.20	1.90
2	ANN-ASSPO	Voltage (V)	150.40	129.60	137.60	121.60
		Current (A)	7.98	7.58	7.59	4.56
		Power (W)	1200.19	982.37	1044.38	554.50
		Tracking efficiency (%)	98.38	99.13	98.47	98.22
		Settling time (ms)	1.60	2.00	1.40	2.30
3	GWO-MFTSMC	Voltage (V)	151.20	129.60	137.20	121.20
		Current (A)	7.97	7.53	7.55	4.55
		Power (W)	1205.06	975.89	1035.86	551.46
		Tracking efficiency (%)	98.77	98.48	98.47	97.69
		Settling time (ms)	0.70	1.30	1.40	1.90
4	GWO	Voltage (V)	146.60	117.60	130.40	114.40
		Current (A)	7.85	7.36	7.28	3.86
		Power (W)	1150.81	866.00	949.00	442.00
		Tracking efficiency (%)	94.33	87.39	90.21	83.37
		Settling time (ms)	2.00	2.40	1.80	2.30
5	P&O	Voltage (V)	141.60	109.60	124.40	102.40
		Current (A)	7.15	6.95	7.05	3.57
		Power (W)	1012.44	762.00	858.00	366.00
		Tracking efficiency (%)	82.99	76.89	84.70	64.89
		Settling Time (ms)	2.40	2.80	2.20	2.80

Table 3. Voltage, current, power generated, tracking efficiency and settling time of MPPT algorithms in four different cases.




Figure 17. Tracking efficiency of MPPT techniques in all four cases.




Figure 18. Settling time of MPPT techniques in all four cases.




Figure 19. Hardware model.




Figure 20. PV array voltage from hardware in case 3.




Figure 21. PV array current from hardware in case 3.




Figure 22. PV array power from hardware in case 3.

Data availability

The data used to support the findings of this research are available from the corresponding author upon request.

Received: 30 April 2024; Accepted: 10 May 2024

Published online: 11 May 2024

References

1. Jiang, L. & Mäskle, D. L. A simple hybrid MPPT technique for photovoltaic systems under rapidly changing partial shading condition. *IEEE 40th Photovoltaic Specialist Conference (PVSC), Denver, CO, USA*, pp. 782–787 (2014).
2. Ali, M. Y., Gulzar, M. M., Rizvi, S. T. H. & Arif, A. A hybrid technique to harvest maximum power from PV systems under partial shading conditions. *International Conference on Emerging Technologies (ICET), Islamabad, Pakistan*, pp. 1–5 (2016).
3. Ghoshmizhi, K. & Rabi, B. R. M. Development of hybrid MPPT algorithm for maximum power harvesting under partial shading conditions. *Circuits Syst.* **7**(8), 1611–1622 (2016).
4. Mahapatra, A., Nayak, B., Das, P. & Mohanty, K. B. A review on MPPT techniques of PV system under partial shading condition. *Renew. Sustain. Energy Rev.* **80**, 854–867 (2017).
5. Huang, Y. P., Chen, X. & Ye, C. E. A hybrid maximum power point tracking approach for photovoltaic systems under partial shading conditions using a modified genetic algorithm and the firefly algorithm. *Int. J. Photoenergy* **2018**, 1–14 (2018).
6. Songsen, Yu., Zhang, X. & Yin, L. Hybrid global maximum power point tracking algorithm under partial shading condition. *J. Renew. Sustain. Energy* **10**(6), 1–20 (2018).
7. Joisher, M. *et al.* A hybrid evolutionary-based MPPT for photovoltaic systems under partial shading conditions. *IEEE Access* **8**, 38481–38492 (2020).
8. Sah, C. K. & Mahapatra, S. Novel hybrid GWO–IC based MPPT technique for PV system under partial shading conditions. *International Solar Energy Society Conference Proceedings*, pp. 1–11 (2021).
9. Senthilkumar, S., Kavitha, M., Arunkumar, P., Pushpa, G., Ramanan, R., & Anbazhagan, L. Optimized maximum power point tracking algorithm for solar photovoltaic with dissimilar environmental conditions. In *2023 7th International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC)*, <https://doi.org/10.1109/I-SMAC58438.2023.10290334>. Kirtipur, Nepal. 11–13 October 2023.
10. Leopoldino, A. L. M., Freitas, C. M. & Monteiro, L. F. C. Analysis of the hybrid PSO-INC MPPT for different partial shading conditions. *Adv. Electr. Comput. Eng.* **22**(2), 29–36 (2022).
11. Sarwar, S. *et al.* A novel hybrid MPPT technique to maximize power harvesting from PV system under partial and complex partial shading. *Appl. Sci.* **12**(2), 1–22 (2022).
12. Lakshanya Sri, B., Mohan, V. & Senthilkumar, S. An efficient optimized MPPT for PV system under extremely fast changing irradiance – hybrid honey badger optimizer. *Int. J. Res. GRANTHAALAYAH* **11**(5), 9–22. <https://doi.org/10.29121/granthaalayah.v11.i5.2023.5161> (2023).

13. Chtita, S. *et al.* A novel hybrid GWO–PSO-based maximum power point tracking for photovoltaic systems operating under partial shading conditions. *Sci. Rep.* **12**(10637), 1–15 (2022).
14. Yang, Y. *et al.* Whether rural rooftop photovoltaics can effectively fight the power consumption conflicts at the regional scale—A case study of Jiangsu Province. *Energy Buildings* **306**, 113921. <https://doi.org/10.1016/j.enbuild.2024.113921> (2024).
15. Fan, J. & Zhou, X. Optimization of a hybrid solar/wind/storage system with bio-generator for a household by emerging metaheuristic optimization algorithm. *J. Energy Storage* **73**, 108967. <https://doi.org/10.1016/j.est.2023.108967> (2023).
16. Yan, C., Zou, Y., Wu, Z. & Maleki, A. Effect of various design configurations and operating conditions for optimization of a wind/solar/hydrogen/fuel cell hybrid microgrid system by a bio-inspired algorithm. *Int. J. Hydrogen Energy* **60**, 378–391. <https://doi.org/10.1016/j.ijhydene.2024.02.004> (2024).
17. Yang, C. *et al.* Optimized integration of solar energy and liquefied natural gas regasification for sustainable urban development: Dynamic modeling, data-driven optimization, and case study. *J. Clean. Prod.* <https://doi.org/10.1016/j.jclepro.2024.141405> (2024).
18. Song, J., Mingotti, A., Zhang, J., Peretto, L. & Wen, H. Fast iterative-interpolated DFT phasor estimator considering out-of-band interference. *IEEE Trans. Instrum. Measure.* **71**, 1–14. <https://doi.org/10.1109/TIM.2022.3203459> (2022).
19. Song, J., Mingotti, A., Zhang, J., Peretto, L. & Wen, H. Accurate damping factor and frequency estimation for damped real-valued sinusoidal signals. *IEEE Trans. Instrum. Measure.* **71**, 1–4. <https://doi.org/10.1109/TIM.2022.3220300> (2022).
20. Shao, B. *et al.* Power coupling analysis and improved decoupling control for the VSC connected to a weak AC grid. *Int. J. Electr. Power Energy Syst.* **145**, 108645. <https://doi.org/10.1016/j.ijepes.2022.108645> (2023).
21. Gao, Y., Doppelbauer, M., Ou, J. & Qu, R. Design of a double-side flux modulation permanent magnet machine for servo application. *IEEE J. Emerg. Select. Topics Power Electron.* **10**(2), 1671–1682. <https://doi.org/10.1109/JESTPE.2022.3131055> (2022).
22. Shen, Y., Liu, D., Liang, W. & Zhang, X. Current reconstruction of three-phase voltage source inverters considering current ripple. *IEEE Trans. Transp. Electrification* **9**(1), 1416–1427. <https://doi.org/10.1109/TTE.2022.3199431> (2023).
23. Fei, M., Zhang, Z., Zhao, W., Zhang, P. & Xing, Z. Optimal power distribution control of modular power architecture using hydraulic free piston engines. *Appl. Energy* **358**, 122540. <https://doi.org/10.1016/j.apenergy.2023.122540> (2024).
24. Shirkhani, M. *et al.* A review on microgrid decentralized energy/voltage control structures and methods. *Energy Rep.* **10**, 368–380. <https://doi.org/10.1016/j.egy.2023.06.022> (2023).
25. Wang, C., Wang, Y., Wang, K., Dong, Y. & Yang, Y. An improved hybrid algorithm based on geographic/complex and metropolis for many-objective optimization. *Math. Probl. Eng.* **2017**, 2462891. <https://doi.org/10.1155/2017/2462891> (2017).
26. Chen, J. *et al.* Geometrical state-plane-based synchronous rectification scheme for LLC converter in EVs. *IEEE Trans. Transp. Electrification* <https://doi.org/10.1109/TTE.2024.3383208> (2024).
27. Wang, Y., Xu, J., Qiao, L., Zhang, Y. & Bai, J. Improved amplification factor for transport transition model for transonic boundary layers. *AIAA J.* **61**(9), 3866–3882. <https://doi.org/10.2514/1.J06239> (2023).
28. Song, F., Liu, Y., Shen, D., Li, L. & Tan, J. Learning control for motion coordination in water scanners: toward gain adaptation. *IEEE Trans. Ind. Electron.* **69**(12), 13428–13438. <https://doi.org/10.1109/TIE.2022.3142428> (2022).
29. Silveira, R. D., da Silva, S. A. O., Sampaio, L. P. & Afonso, J. A. A hybrid MPPT algorithm based on DE-IC for photovoltaic systems under partial shading conditions. In *4th EAI International Conference on Sustainable Energy for Smart Cities, Braga-Portugal 1–12* (Springer, 2022).
30. Shetty, D., Sabhahit, J. N., Mudlapur, A. & Hemanth, P. Hybrid PSO-Incremental conductance MPPT for induction motor based solar water pumping system under partial shading conditions. *Adv. Electr. Comput. Eng.* **23**(1), 87–94 (2023).
31. Abo-Khalil, A. G., El-Sharkawy, I. I., Radwan, A. & Lemon, S. Influence of a hybrid MPPT technique, SA-P&O, on PV system performance under partial shading conditions. *Energies* **16**(2), 1–17 (2023).
32. Krishnaram, K. & Suresh Padmanabhan, T. A novel cycle approach for maximum power point tracking through an interleaved boost converter. *Electr. Power Energy Syst.* **51**(20), 2474–2486 (2023).
33. Krishnaram, K., Padmanabhan, T., Alsaiif, F. & Senthilkumar, S. Performance optimization of interleaved boost converter with ANN supported adaptable stepped-impedance P&O based MPPT for solar powered applications. *Sci. Rep.* **14**(8115), 1–17 (2024).
34. Krishnaram, K., Suresh Padmanabhan, T., Alsaiif, F. & Senthilkumar, S. Development of grey wolf optimization based modified fast terminal sliding mode controller for three phase interleaved boost converter fed PV system. *Sci. Rep.* **14**(9256), 1–14 (2024).

Author contributions

All authors contributed to the study, conception, and design. All authors commented on the manuscript. All authors read and approved the final manuscript.

Competing interests

The authors declare no competing interests.

Additional information

Correspondence and requests for materials should be addressed to K.K. or Z.A.

Reprints and permissions information is available at www.nature.com/reprints.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2024