



OPEN

Author Correction: Flow prediction in sound-based uroflowmetry

Marcos Lazaro Alvarez, Laura Arjona, Mario Jojoa-Acosta & Alfonso Bahillo

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-024-84978-w>, published online 03 January 2025

Published online: 10 February 2025

The original version of this Article contained an error in the spelling of the author Alfonso Bahillo, which was incorrectly given as Alfosno Bahillo.

The original Article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

© The Author(s) 2025