

<https://doi.org/10.1038/s42005-025-02203-0>

Author Correction: Coupled mechanical oscillator enables precise detection of nanowire flexural vibrations



Maneesha Sharma, Aniruddha Sathyadharma Prasad , Norbert H. Freitag , Bernd Büchner & Thomas Mühl

Correction to: *Communications Physics* <https://doi.org/10.1038/s42005-023-01466-9>, published online 05 December 2023

In the version of this article initially published, there was a typographical error in the units listed on the x-axis label of Fig. 3, now reading “Typical width of the oscillator (μm),” where μm first appeared as “mm”; the figure is now updated in the HTML and PDF versions of the article.

Published online: 04 July 2025

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2025