



## Author Correction: Peptide-based inflammation-responsive implant coating sequentially regulates bone regeneration to enhance interfacial osseointegration

Correction to: *Nature Communications*  
<https://doi.org/10.1038/s41467-025-58444-8>,  
published online 6 April 2025

<https://doi.org/10.1038/s41467-025-59573-w>

Published online: 20 May 2025

 Check for updates

Wei Zhou , Yang Liu , Xuan Nie , Chen Zhu , Liming Xiong , Jing Zhou  & Wei Huang 

In the version of the article initially published, in Fig. 9a, the text “Day 0” appeared originally as “0” and “Week 8” appeared originally as “Week”; the figure is amended in the HTML and PDF versions of the article.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2025