






AUTHOR CORRECTION OPEN



Author Correction: Partially hydrolyzed guar gum increased colonic mucus layer in mice via succinate-mediated MUC2 production

Mariko Kajiwara-Kubota , Kazuhiko Uchiyama , Kohei Asaeda, Reo Kobayashi, Hikaru Hashimoto, Takeshi Yasuda , Satoshi Sugino, Takeshi Sugaya, Yasuko Hirai, Katsura Mizushima, Toshifumi Doi, Ken Inoue, Osamu Dohi, Naohisa Yoshida, Takeshi Ishikawa, Tomohisa Takagi , Hideyuki Konishi, Ryo Inoue, Yoshito Itoh and Yuji Naito 

npj Science of Food (2023)7:16; <https://doi.org/10.1038/s41538-023-00193-3>

Correction to: *npj Science of Food* <https://doi.org/10.1038/s41538-023-00184-4>, published online 28 March 2023

“In this article the author name Mariko Kajiwara-Kubota was incorrectly written as Mariko Kajiwara-Kubtota. The original article has been corrected.”



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2023