

Author Correction: Coordinated surveillance is essential to monitor and mitigate the evolutionary impacts of SARS-CoV-2 spillover and circulation in animal hosts

Correction to: *Nature Ecology & Evolution*
<https://doi.org/10.1038/s41559-023-02082-0>.
Published online 25 May 2023.

<https://doi.org/10.1038/s41559-023-02118-5>

Published online: 21 June 2023

 Check for updates

Suresh V. Kuchipudi , **Cedric Tan** , **Lucy van Dorp** , **Maureen Lichtveld**,
Bradley Pickering, **Jeff Bowman** , **Samira Mubareka**  & **Francois Balloux** 

In the version of this article originally published, Figure 1 and Supplementary Table 1 included Pangolin in the list of animal hosts infected with SARS-CoV-2. While there is some evidence for SARS-CoV-2-related coronaviruses circulating in pangolins in Southeast Asia (Wacharapluesadee, S. et al. *Nat. Commun.* <https://doi.org/10.1038/s41467-021-21768-2> (2021)), and they could potentially be susceptible to SARS-CoV-2, there is no evidence of natural or experimental infection of Pangolins with SARS-CoV-2. Therefore, Pangolin has been removed from the figure and supplementary table in the HTML and PDF versions of the article.

© The Author(s), under exclusive licence to Springer Nature Limited 2023