









## Publisher Correction: *Toxoplasma* effector TgROP1 establishes membrane contact sites with the endoplasmic reticulum during infection

Correction to: *Nature Microbiology*  
<https://doi.org/10.1038/s41564-025-02193-3>,  
published online 25 November 2025.

<https://doi.org/10.1038/s41564-025-02256-5>

Published online: 22 December 2025



Chahat Mehra, Jesús Alvarado Valverde, Ana Margarida Nogueira Matias, Francesca Torelli, Tânia Catarina Medeiros, Julian Straub , James D. Asaki, Peter J. Bradley , Katja Luck , Steffen Lawo , Moritz Treeck  & Lena Pernas 

In the version of the article initially published, the fourth paragraph of the Discussion (beginning “Are other effectors recruited to host ER-*Toxoplasma* MCS?”) and the reference “Romano, J. D. et al. *Toxoplasma gondii* VIP1 mediates parasitophorous vacuole–host endoplasmic reticulum interactions to facilitate parasite development. *Nat. Microbiol.* 10, 3315–3330 (2025)” were missing and have now been added to the HTML and PDF versions of the article.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2025