

# Author Correction: Substitution and electrochemistry in layered oxide cathode materials for sodium-ion batteries

Correction to: *Nature Reviews Chemistry*  
<https://doi.org/10.1038/s41570-025-00795-3>,  
published online 29 January 2026.

<https://doi.org/10.1038/s41570-026-00804-z>

Published online: 6 February 2026

 Check for updates

Liangtao Yang, Xingxing Yin, Jun Wang , Yanan Sun , Yongchun Li, Zhenggang Zhang, Zhongqing Liu, Si-Min Huang, Philipp Adelhelm  & Dong Zhou 

In the originally published article, in the Cationic potential section, the sentences “However, it should be noted that exceptions exist. For instance, low-Na  $\text{Na}_{0.67}\text{Mn}_{0.4}\text{Ni}_{0.3}\text{Fe}_{0.15}\text{Li}_{0.15}\text{O}_2$  materials feature an O3 structure, rather than a P2 structure<sup>57</sup>. Other structures, not P2 or O3, such as P3  $\text{Na}_{0.9}\text{Ni}_{0.5}\text{Mn}_{0.5}\text{O}_2$ <sup>58</sup> and mixing structures like P2/O3/O1  $\text{Na}_x\text{Ni}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ <sup>59</sup> are both out of the scope of this method” should have read: “However, it should be noted that in practical scenarios, there are impurities or mixing structures concurrently formed in SLOs due to the complex growth kinetics<sup>57–59</sup>, which results in the uncertainty of composition and difficulty of predicting”. The text has been corrected in the HTML and PDF version of the article.

© Springer Nature Limited 2026