



OPEN

# Author Correction: Shallow shotgun sequencing reduces technical variation in microbiome analysis

Alex J. La Reau, Noah B. Strom, Ellen Filvaroff, Konstantinos Mavrommatis, Tonya L. Ward & Dan Knights

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-023-33489-1>, published online 11 May 2023

The original version of this Article contained an error in Figure S7 of the ‘Supplementary Figures’ file, where the labels ‘16S’ and ‘Shallow shotgun’ were swapped.

The incorrect Supplementary file can be found below.

The original Article has been corrected.

## Additional information

**Supplementary Information** The online version contains supplementary material available at <https://doi.org/10.1038/s41598-024-56475-7>.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2024