



OPEN

## Correction: Realtime monitoring of internal morphology of gel samples during drying process by X-ray computing tomography image using synchrotron radiation

Published online: 11 November 2025

Daitaro Ishikawa, Yuzuka Ito, Masafumi Hidaka, Jiamin Yang, Kanna Yamada, Mio Takiguchi, Motofumi Otomo & Tomoyuki Fujii

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-025-18840-y>, published online 07 October 2025

The original version of this Article contained a typographical error in Equation 1, where “=” was omitted.

$$\delta/\varepsilon PL^3/4bh^3w$$

now reads:

$$\delta/\varepsilon = PL^3/4bh^3w$$

The original Article has been corrected.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2025